



فیکلٹل گاؤںپالیکا، खाड्साड्

प्रदेश नं. ३

सिन्धुली जिल्ला



आ.व. ०७६।०७७

दर रेट किताब

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
	कामदार			
१	दक्ष ज्यामी (डकमी, सिकमी, नकमी, लौहकमी, आरावाल, चित्रकार, प्लम्बर)	दैनिक	९९०।००	
२	अर्धदक्ष कामदार ज्यामी (टेलीकम तथा विद्युत पोल गाड्ने उखेल्ने तान्ने जस्ता प्रकृतिको काम)	दैनिक	७९५।००	
३	अदक्ष ज्यामी सडक रेखालु समेत	दैनिक	७९५।००	
४	ज्यामी नाईके,इलेक्ट्रिकल हेल्पर	दैनिक	७९५।००	
५	नकमी (अदक्ष)	दैनिक	७९५।००	
६	आरावाला (अदक्ष)	दैनिक	७९५।००	
७	चित्रकार (अदक्ष)	दैनिक	७९५।००	
८	ईलेक्ट्रिसियन फोरमेन	दैनिक	९९०।००	
९	ईलेक्ट्रिसियन लाईन मेन	दैनिक	९९०।००	
१०	मेकानिक्स (सिनियर)	दैनिक	७६५।००	
११	मेकानिक्स (जुनियर)	दैनिक	७९५।००	
१२	वेल्डर (दक्ष)	दैनिक	९९०।००	
१३	वेल्डर (अदक्ष)	दैनिक	७०५।००	
१४	ब्लाष्टर हेल्पर (अनुभवी)	दैनिक	७०५।००	
१५	ब्लाष्टर हेल्पर दक्ष लाईसेन्स प्राप्त	दैनिक	९८५।००	
१६	सर्वेयर (सिनियर)	दैनिक	७९०।००	
१७	सर्वेयर (जुनियर)	दैनिक	७००।००	
१८	सर्वे हेल्पर, क्याम्प वर्कर	दैनिक	६००।००	
१९	इन्जुमिनेटर (गणक)	दैनिक	७९०।००	
२०	सुपरभाईजर (सिनियर)	दैनिक	७००।००	
२१	सुपरभाईजर (जुनियर)	दैनिक	६००।००	
२२	भोलुङ्गे पुल फिटर	दैनिक	९८५।००	
२३	अब्जरभर (निम्न स्तर)	दैनिक	६००।००	
२४	चेन म्यान (जर्जरदार), रनर, पियन/चौकिदार, मेहतर,च्यामे (चर्पी सफा गर्ने), कूचिकार	दैनिक	६००।००	
२५	हेभी डोजर र रोलर चालक	दैनिक	नेपाल सरकारले निर्धारण गरेको तलब स्केल अनुसार	
२६	हलुका रोलर चालक	दैनिक		
२७	टाईपिष्ट (एस.एल.सी.पास)	दैनिक		
२८	टाईपिष्ट (एस.एल.सी.अनुत्तीर्ण)	दैनिक		
२९	हेभी सवारी चालक	दैनिक		
३०	हलुका सवारी हेल्पर, पिच ब्यालर, स्प्रेयर, विद्युत हेल्पर	दैनिक		
३१	इन्जिनियर	दैनिक		
३२	सब इन्जिनियर	दैनिक		
३३	अ.सब इन्जिनियर	दैनिक		
३४	ट्रेसर (तालिम प्राप्त) खरिदार सरह	दैनिक		
३५	ल्याब टेक्सिसियन	दैनिक		
३६	स्टोर सहायक खरिदार सरह	दैनिक		
३७	कम्प्युटर अपरेटर (ना.सु. स्तर)	दैनिक		
३८	कम्प्युटर अपरेटर (खरिदार स्तर)	दैनिक		
३९	हलुका सवारी चालक	दैनिक		
४०	बाढी मास्टर कि स्टेसन (खरिदार स्तर)	दैनिक		
४१	गेज रिडर (मुखिया स्तर)	दैनिक		

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (र.)	कैफियत
			आ.व.०७६।०७७	
ख	निर्माण सामग्रीहरु			
१	विभिन्न किसिमको ईटा			
	क) मेशिनबाट उत्पादित ईटा (छानेको)	गोटा	१७००	
	ख) मेशिनबाट उत्पादित ईटा (१-नं.)	"	१७००	
	ग) चिम्ली भट्टाको ईटा	"	१६५०	
	घ) तराई को १ नं. ईटा	"	१६५०	
	टुक्रा ईटा	घ.मि.	६००।००	
	(ड) सिमेन्ट को ईटा			
	ew	"	११०००।००	
	BK118As	"	११५००।००	
	CSEB Interluck Brick	गोटा	४५।००	
२	क्ले टायलहरु			
२.१	छानामा छाउने			
	क) मेशिनबाट उत्पादित टायल	गोटा	१७००	
	ख) चिम्ली भट्टाको टायल	"	१५।००	
	ग) मेशिनबाट उत्पादित धुरी	"	३०।००	
	घ) चिम्ली भट्टाको धुरी	"	२३।००	
२.२	भुईँमा/ कौसीमा छाप्ने टायल:			
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	७००	
	ख) चिम्ली भट्टाको क्ले टायल	"	८।५०	
३	ढुंगाको काम (Stone work)			
३.१	Rubble Stone			
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.मि.	१३००।००	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	१२००।००	
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	१२००।००	
	(घ) कोसीखोला(चेहेरे)को एकनासे गोला ढुङ्गा (River round Pavel)	"	१०००।००	
३.२	छाप्ने ढुङ्गा (Flag stone)			
	क) १" सम्म बाक्लो सर्फेस ट्रेस गरेको छाप्ने ढुङ्गा	व.फि.	५७०।००	
	ख) १ १/२" सम्म बाक्लो " "	व.फि.	६५०।००	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि.	८६०।००	
	घ) २ १/२" सम्म बाक्लो ढुङ्गा " "	व.फि.	९३०।००	
	ड) २ १/२" - ३" सम्म बाक्लो ढुङ्गा "	व.फि.	११५०।००	
	च) २ १/२" - ३" सम्म बाक्लो ढुङ्गा मेशिनले काटेको	व.फि.	१३५०।००	
४	विभिन्न प्रकारको बालुवा			
	क) बालुवा धोएको कशरबाट उत्पादित	घ.मि.	१२००।००	
	ख) खोला/नदीको बालुवा धोएको (River sand)	घ.मि.	११००।००	
	ग) खोला/नदीको बालुवा नधोएको (River sand)	घ.मि.	१०००।००	
	घ) भवनको भूँईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा वा रिभरवेड मेटेरियल	घ.मि.	९००।००	

फिक्कल गाउपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (रु.) आ.व.०७६/०७७	
५	कसरबाट उत्पादित रोडा			
	(क) ६-१० मी. मी. साइजका	घ.मि.	२४००।००	
	(ख) १०-२० मी. मी. साइजका	घ.मि.	२६००।००	
	(ग) २०-४० मी. मी. साइजको	घ.मि.	२५००।००	
	(घ) ६ मि.मि. down	घ.मि.	१९००।००	
६	फुटालेको ढुङ्गाको गिट्टी			
	क) सबै साइजको गिट्टी	घ.मि.	२०५०।००	
७	सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामग्री			
	(क) खोला/खानीको स्थानीय ग्राभेल	घ.मि.	९९०।००	
	(ख) Granular sub base material (Crosser run material size 63mm down) ग्राभेल	घ.मि.	२१००।००	
	(ग) Base-course को लागि मिक्स सोलिड (WBM) गर्ने काय	घ.मि.	२२००।००	
	(घ) ढुगाको धुलो (Stone dust)	घ.मि.	१९००।००	
८	विभिन्न साइजका खोलाको Screening गरेको River pebbles			
	क) ४०- ८० मी.मी	घ.फि	१५८०।००	
	ख) २०- ४० मी.मी	घ.फि	१६५०।००	
	ग) १०- २० मी.मी	घ.फि	१६९०।००	
	घ) ५- १० मी.मी	घ.फि	१७२५।००	
९	फिल्टर सामग्री			
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि	१८२५।००	
१०	सडक कालो पत्रे गर्ने कामको सामग्रीहरु			
	i) ८०/१०० ग्रेडको बिटुमीन	के.जी	८५।००	
	ii) CRMB-DIGO 55 Bitumen	के.जी	९५।५०	
	iii) Packed bitumen emulsion को काम	के.जी		
	छिटो जम्ने (RS 60%)	के.जी	७२।४०	
	छिटो जम्ने (RS 65%)	के.जी	७७।००	
	छिटो जम्ने (RS 70%)	के.जी	८१।६०	
	मध्यम जम्ने (MS 60%)	के.जी	७३।२०	
	मध्यम जम्ने (MS 65%)	के.जी	७७।६०	
	ढीलो जम्ने (SS60%)	के.जी	७४।१०	
	Slurry Seal with 60% bitumen	के.जी	७९।६०	
	Hi - seal Redymix	के.जी	९३।५०	
	Polymer Bitumen	के.जी	१०५।२६	
	iv) सडक कालोपत्रे गर्दा बिटुमीन नउप्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	के.जी	३२०।००	
	v) कालोपत्रेमा बिटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	के.जी		
	vi) कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	३५।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therrno Plastic Road marking सामग्री			
	a) B.S. Grade	के.जि	२००।००	
	b) Most Grade	के.जि	२२९।००	
	c) Glass beads	के.जि	९८९।००	
११	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु			

	क) Nepali OPC Cement 50Kg	बोरा	९००।००	
	ख) Nepali PPC Cement 50Kg	बोरा	७५०।००	
	(ग) सेतो सिमेन्ट (40kg/bag) 1Kg	के.जि	३७५।००	
	छ) लोड अनलोड दर सिमेन्ट र सो ही प्रकृतिका काम	के.जि	०।२०	
१२	Ready made Premix Concrete (Supplying laying all complete work)			
१२.१	Panchakanya, MAW or equivalent			
	M 15	घ. मि	८२७४।२०	
	M 20	घ. मि	९२४७।७०	
	M 25	घ. मि	१०५९।०८०	
१२.२	Polymix concrete			
	Polymix concrete for wall	व.मि.	२६९६।००	
	Polymix concrete imprint	व.मि.	१५९८।००	
	Polymix concrete desiner coat	व.मि.	१४९५।००	
१२.३	INCO -panel supply and erection of inco wall panel for			
	Internal wall	व.मि.	२८०।००	
	External wall	व.मि.	३२०।००	
१३	फलामको डण्डीहरु :			
	(क) विभिन्न साइजका TMT Bar			
	a) 8 mm dia	के.जी	८०।५०	
	b) 10,12,16,20mm dia	के.जी	७८।५०	
	c) 25mm dia	के.जी	७५।००	
	d) 28,32 mm dia	के.जी	७५।००	
	(ख) विभिन्न साइजको TOR Steel	के.जी		
	a) 8mm dia TOR steel	के.जी	८०।५०	
	b) 10-25mm TOR steel	के.जी	७८।५०	
	c) 28-32mm TOR steel	के.जी	७५।००	
	(ग) विभिन्न साइजका TOR Steel			
	a) 4.75, 7 mm dia	के.जी	८५।००	
	(घ) Binding Wire (डण्डी बाँध्नेतार)	के.जी	१०५।००	
१४	विभिन्न किसिमका तयारी सबै साइजका काठहरु			
	(क) ३' देखि ८' सम्मको सालकाठ	घ. मि.	१७००००।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (र.) आ.व.०७६।०७७	
	(ख) साज,जामुन,सल्ला,सिसौ,उतिस लगायत अन्य कुकाठहरु सबै	घ. मि.	३५०००।००	
	(ग) काठ दाउरा	के.जी	१४।००	
	(घ) साल गोलिया	घ. मि.	८६०००।००	
१४.२	कुदिएको काठको काम तयारी			
	i) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	६०३।४९	
	ii) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	६५८।३५	
	iii) भन्याङ्गको रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	५४८।६३	
	iv) भन्याङ्गको रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२४१३।९५	
	v) देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	७६८०।७५	
	vi) देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	८७७८।००	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	१६४५।८८	
	viii) घोडाको आकृति गरि कुदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	३८४०।३८	
	ix) सामान्य प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	५४८।६३	
	x) मध्यम प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	७६८।०८	
	xi) विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	१६४५।८८	
	विशेष प्रकारको कुदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	१०४२।३९	
	xii) ३"x १.५" साइजको सालको काठको कुदिएको पली तयारी गर्ने काम	र.फि.	३८४।०४	
	xiii) कुदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	र.फि.	६५८।३५	
	xiv) ४"x ५"को साल काठको नाग बुट्टा कुदि तयारी गरी जडान गर्ने कार्य	र.फि.	५४८।६३	
१४.३	(घ) साल गोलिया	घ. मि.	८६०००।००	
१५	Wooden Parquet Flooring			
	i)Shisam wood 150mm*30mm*8mm	व.फि.	१३५।००	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	व.फि.	४५०।००	
१६	विभिन्न मोटाईको प्लाइडवुडहरु			
१६.१	Commercial			
	(क) ३ मी.मी	व.मि.	२७०।००	
	(ख) ४ मी.मी	व.मि.	३७५।००	
	(ग) ६ मी.मी	व.मि.	४३०।००	
	(घ) ८ मी.मी	व.मि.	४६०।००	
	(ङ) १२ मी.मी	व.मि.	५३८।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)	कैफियत
			आ.व.०७६।०७७	
	(च) १९ मी.मी B/B	व.मि.	८६०।००	
१६.२	P/F. Water Proof			
	क) ८ मी.मी	व.मि.	८६०।८०	
	ख) १२ मी.मी	व.मि.	९९४।६०	
	ग) १९ मी.मी.	व.मि.	१२३७।४०	
१६.३	Natural Teak Plywood			
	One side lamination			
	(क) ३ मी.मी	व.मि.	५२०।००	
	(ख) ४ मी.मी (Group Match of in 5 pcs)	व.मि.	६८०।००	
	४ मी.मी (Regular)	व.मि.	५९०।००	
	४ मी.मी (Crown)	व.मि.	३९५।००	
	४ मी.मी (Beri)	व.मि.	४५५।००	
	४ मी.मी (Whitest line)	व.मि.	३६०।००	
	४ मी.मी (Beach)	व.मि.	४३०।००	
	४ मी.मी (Recon 18 No.)	व.मि.	३३५।००	
१६.४	DECORATIVE (THICKER)			
	6 OST	व.फि.	७४।८०	
	6 BST	व.फि.	९४।६०	
	9 OST	व.फि.	८३।६०	
	9 BST	व.फि.	१०५।६०	
	12 OST	व.फि.	९४।६०	
	12 BST	व.फि.	११६।६०	
	19 B/B OST	व.फि.	१०५।६०	
	19 B/B BST	व.फि.	१२७।६०	
	18 OST	व.फि.	११६।६०	
	18 BST	व.फि.	१३८।६०	
१७	Ready made Door			
१७.१	38 mm th. Redimade solid core door shutter			
	Plain	व.मि.	१२१०।००	
	One side teak	व.मि.	२२७०।००	
	Both side teak	व.मि.	२५४०।००	
	One side teak waterProof	व.मि.	२४८०।००	
	Both side teak waterProof	व.मि.	२७४०।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
१७.२	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)			
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१५४।००	
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२०९।००	
	If Oneside water proof ply fitting	व.फि		
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७६।००	
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३६।५०	
१७.४	Wooden Listy			
क	1/2" wide	र.फि.	११।००	
ख	3/4" wide	र.फि.	१३।२०	
ग	1.5" wide	र.फि.	२२।००	
घ	Decorative	र.फि.	३०।८०	
१८	Prelaminated Particle Board			
१८.१	Plain Particle Board (Exteriors Grade)			
	(क) ९ मी .मी	व.फि	३२।४२	
	(ख) १२ मी. मी.	व.फि	३६।३२	
	(ग) १८ मी.मी.	व.फि	४७।१०	
	(घ) २५ मी.मी	व.फि	६२।८९	
१८.२	One side lamination Melaminated faced (Exteriors Grade)			
	(क) ९ मी .मी	व.फि	६५।०३	
	(ख) १२ मी. मी.	व.फि	७३।३०	
	(ग) १८ मी.मी.	व.फि	८६।४९	
	(घ) २५ मी.मी	व.फि	११२।२३	
१८.३	Both side lamination Melaminated faced (Exteriors Grade)			
	(क) ९ मी .मी	व.फि	७३।३०	
	(ख) १२ मी. मी.	व.फि	८३।८९	
	(ग) १८ मी.मी.	व.फि	९६।९९	
	(घ) २५ मी.मी	व.फि	१२२।६३	
१८.४	Plain Particle Board (Interiors Grade)			
	(क) ९ मी .मी	व.फि	२४।१५	
	(ख) १२ मी. मी.	"	२७।२२	
	(ग) १८ मी.मी.	"	४०।३२	
	(घ) २५ मी.मी	"	५२।४०	
१८.५	One side lamination Melaminated faced (Interiors Grade)			
	(क) ३ मी .मी	व.फि	३५।३०	
	(ख) ६ मी .मी	व.फि	५०।३५	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	(ग) ९ मी .मी	व.फि	५७६९	
	(घ) १२ मी. मी.	व.फि	६५१५९	
	(ङ) १८ मी.मी.	व.फि	७५१६२	
	(च) २५ मी.मी	व.फि	९४३९	
१८.६	Both side lamination Melamined faced (Interiors Grade)			
	(क) ३ मी .मी	व.फि	४०३२	
	(ख) ६ मी .मी	व.फि	५४१४४	
	(ग) ९ मी .मी	व.फि	६५१०३	
१८.७	One side lamination Melamined faced (Interiors Grade)MDF			
	(क) ३ मी .मी	व.फि	४०७८	
	(ख) ४ मी .मी	व.फि	४६३६	
	(ग) ६ मी .मी	व.फि	५७२३	
	(घ) ९ मी .मी	व.फि	७५१०७	
	(ङ.) १२ मी .मी	व.फि	८४१००	
	(च) १८ मी .मी	व.फि	१०८१००	
	(छ)२५ मी .मी	व.फि	१४९१००	
१८.८	Both side lamination Melamined faced (Interiors Grade)MDF Century & equivalent			
	(क) ३ मी .मी	व.फि	४६३६	
	(ख) ४ मी .मी	व.फि	५१९३	
	(ग) ६ मी .मी	व.फि	६४१००	
	(घ) ९ मी .मी	व.फि	८०६४	
	(ङ.) १२ मी .मी	व.फि	८९१००	
	(च) १८ मी .मी	व.फि	११३१००	
	(छ)२५ मी .मी	व.फि	१५३१००	
१९	Other HardBoard/ Sunmica & Formaica)			
१९.१	(क) सनमाईका (4' x 8')	पाता	४२९१००	
	(ख) फोरमाईका	व.फि	६६१००	
	(ग) हार्डबोर्ड (Hard board) 12 mm thick	व.फि	३८१५०	
१९.२	Alstone Hybrid Board			
	(क) ६ मी .मी size (1220*2440) mm	व.फि	१४३३६	
	(ख) १२ मी .मी size (1221*2440) mm	व.फि	२७०१८०	
	(ग)१८ मी .मी size (1222*2440) mm	व.फि	३७६१९९	
२०	Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate			
	i) Iron Square Pipe	के.जी	७११५०	
	ii) विभिन्न साइजको MS Angle	के.जी	७७१००	
	iii) विभिन्न साइजको Black Pipe	के.जी	७११५०	
	iv) विभिन्न साइजको Channel	के.जी	७८१००	

फिक्कल गाउपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व. ०७६/०७७	
	v) विभिन्न साइजको I-Beam	के.जी	७९१००	
	vi) विभिन्न साइजको MS plate	के.जी	७६१००	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	७७१००	
	viii) विभिन्न मोटाइको Black sheet	"	७२१००	
२१	G.I. Wire			
	i) 8 gauge			
	a) light class	के.जी	७७१००	
	b) medium class	के.जी	७९१००	
	c) heavy duty	के.जी	८५१००	
	d) Comercial wire	के.जी	७३१००	
	ii) 10 gauge			
	a) light class	के.जी	७७१००	
	b) medium class	के.जी	७९१००	
	c) heavy duty	के.जी	८५१००	
	d) Comercial wire	के.जी	७४१००	
	iii) 12 gauge			
	a) light class	के.जी	७७१००	
	b) medium class	के.जी	७९१००	
	c) heavy duty	के.जी	८५१००	
	d) Comercial wire	के.जी	७४१००	
२२	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को रेविन बाक्स तयारी			
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferri Box Gabion)	m2		
	१.५×१×०.५/०	गोटा	१३६२१००	
	२×१×०.५/०	गोटा	१८३९१००	
	३×१×०.५/०	गोटा	२६९६१००	
	४×१×०.५/०	गोटा	३५५४१००	
	१.५×१×१/०	गोटा	१९८०१००	
	२×१×१/१	गोटा	२६९६१००	
	३×१×१/२	गोटा	३८४२१००	
	४×१×१/३	गोटा	४९३८१००	
	ख) MBG/10x12/2.7/3.4/2.2/ZN	m2		
	१.५×१×०.५०	गोटा		
	२×१×०.५०	गोटा	१५०४१००	
	३×१×०.५०	गोटा	२२०२१००	
	४×१×०.५०	गोटा	२९०५१००	
	१.५×१×१	गोटा	१६०४१००	
	२×१×१	गोटा	२१८२१००	
	३×१×१	गोटा	३११०१००	
	४×१×१	गोटा	४०७६१००	
	ग) MJG/10x12/3.0/3.9/2.4/ZN			
	३×२×०.५०	गोटा	४६२०१००	
	४×२×०.५०	"	६०२०१००	



फिक्कल गाउँपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६/०७७	
	५×२×०.५०	"	७२८०।००	
	६×२×०.५०	"	८६८०।००	
	३×२×१	"	६३००।००	
	४×२×१	"	८१८७।००	
	५×२×१	"	९८६४।००	
	६×२×१	"	११६९०।००	
	घ) MJG/10x12/2.7/3.4/2.2/ZN			
	३×२×०.५०	गोटा	३७३२।००	
	४×२×०.५०	"	४८८०।००	
	५×२×०.५०	"	५८८४।००	
	६×२×०.५०	"	६८८९।००	
	३×२×१	"	५१६७।००	
	४×२×१	"	६६७४।००	
	५×२×१	"	८२५३।००	
	६×२×१	"	९८३०।००	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN	m2		
	३×२×०.१७	गोटा	२६४२।००	
	४×२×०.१७	"	३४६३।००	
	५×२×०.१७	"	४२८६।००	
	६×२×०.१७	"	५१०६।००	
	३×२×०.२३	"	२८०२।००	
	४×२×०.२३	"	३६६४।००	
	५×२×०.२३	"	४५२५।००	
	६×२×०.२३	"	५३८८।००	
	३×२×०.३०	"	२९९४।००	
	४×२×०.३०	"	३९०४।००	
	५×२×०.३०	"	४८१२।००	
	६×२×०.३०	"	५७२२।००	
	च) WMN/ZN			
	६×८/२.२/२.७	ब.मि.	१९१।००	
	१०×१२/२.७/३.४	"	२०१।००	
	१०×१२/३.०/३.९	"	२२६।००	
	छ) WMN/ZN/PVC			
	६×८/२.२/२.७	ब.मि.	३०४।००	
	१०×१२/२.७/३.४	"	२७३।००	
	MRM/6x8/2.2/2.7/2.2/ZN			
	3x1.5x0.5/2	गोटा	३५६०।००	
	4x1.5x0.5/3	गोटा	४६४३।००	
	5x1.5x0.5/4	गोटा	५७२०।००	
	6x1.5x0.5/5	गोटा	६७९८।००	
	3x1.5x1/2	गोटा	४५६३।००	
	4x1.5x1/3	गोटा	६२५४।००	
	5x1.5x1/4	गोटा	७७४६।००	
	6x1.5x1/5	गोटा	९१९१।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
	MJG/10x12/2.7/3.4/2.2/ZN			
	3x1.5x0.5/2	गोटा	२९७२।००	
	4x1.5x0.5/3	गोटा	३८७०।००	
	5x1.5x0.5/4	गोटा	४७६८।००	
	6x1.5x0.5/5	गोटा	५६६५।००	
	3x1.5x1/2	गोटा	३८०४।००	
	4x1.5x1/3	गोटा	५२९३।००	
	5x1.5x1/4	गोटा	६४५५।००	
	6x1.5x1/5	गोटा	७६६९।००	
	Note:			
	MBG = Maccaferi Box Gabion			
	MJG = Maccaferi Jumbo Gabion			
	MRM = Maccaferi Reno Mettress			
	WMN = Wire Mesh Netting			
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia./Selvedge wire dia./Lacing wire dia./Type of coating			
	ZN = Heavy galvanized			
	PVC = PVC coated			
२३	Barbed Wire (काँडेतार)			
	12 guage commercial, Medium duty	के.जी	९५।४८	
	U-hook for barbed wire fencing	गोटा	०।७४	
	Fabrication of chain link mesh of size			
	1"x1" 12 guage	वर्ग मी.	६६९।६४	
	1.5"x1.5" 12 guage	वर्ग मी.	६२५।००	
	2"x2" 10 guage	वर्ग मी.	४९९।०७	
	3"x3" 10 guage	वर्ग मी.	४०९।७९	
	4"x4" 10 guage	वर्ग मी.	३९२।५०	
२४	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)			
	(क) सेतो सादा जस्तापाता (G P Sheet)			
क	0.35 mm (26 guage light)	वण्डल	४८७०।००	
ख	0.38 mm (26 guage Medium)	वण्डल	४८७०।००	
ग	0.41 mm (26 guage Heavy)	वण्डल	५७५२।००	
घ	0.52 mm (24 guage Heavy)	वण्डल	६६४०।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)	कैफियत
			आ.व.०७६।०७७	
	(ख) रंगिन जस्तापाता			
क	0.35 mm (26 guage light)	वण्डल	६७९२।९२	
ख	0.38 mm (26 guage Medium)	वण्डल	७२५९।२९	
ग	0.41 mm (26 guage Heavy)	वण्डल	७७९।७७०	
घ	0.45 mm (24 guage light)	वण्डल	८८४९।००	
ड	0.50 mm (24 guage Medium)	वण्डल	९२९२।००	
च	0.52 mm (24 guage Heavy)	वण्डल	९०९७५।००	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CG I Sheet)			
क	0.31 mm (28 guage Heavy)	वण्डल	४६००।००	
ख	0.35 mm (26 guage light)	वण्डल	४७००।००	
ग	0.38 mm (26 guage Medium)	वण्डल	४७५०।००	
घ	0.41 mm (26 guage Heavy)	वण्डल	४८५०।००	
ड	0.45 mm (24 guage light)	वण्डल	४८७०।००	
च	0.50 mm (24 guage Medium)	वण्डल	५७५२।००	
	घ)जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.			
क	0.20 mm	वण्डल	९९५७।५२	
ख	0.22 mm	वण्डल	९२५८।४९	
ग	0.24 mm	वण्डल	९३३७।९७	
घ	0.26 mm	वण्डल	९४९६।८९	
ड	0.28 mm	वण्डल	९५००।८८	
च	0.31 mm	वण्डल	९६३९।८२	
ज	0.35 mm	वण्डल	९८९६।८९	
झ	0.38 mm	वण्डल	९९५३।९०	
ञ	0.41 mm	वण्डल	२०८९।३८	
२५	UPVC Roofing Sheet Sunrise or Equivalent brand (3mm thick)			
२५.१)	UPVC Roofing Sheet with PMMA coating & Mesh (Regular	व.मि.	९२९९।००	
२५.२	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	व.मि.	९३४५।००	
२५.३	Ridge cover Regular Profile 1.10 R.m.	र.मि.	९२००।००	
२५.४	Ridge cover Tile Profile 0.78 R.m.	र.मि.	९३००।००	
२५.५	UPVC Clip	गोटा	९०।००	
२५.६	self tapping screw 3"	गोटा	९०।००	
२५.७	self tapping screw 2.5"	गोटा	८।००	
२६	एल्मुनियम प्लेन सिट			
	(क) २६ गेज	व.फि.	२८।००	
	(ख) ३० गेज	"	२६।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
२७	विभिन्न प्रकारको जालीहरु (Netting)			
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११०।००	
	(ख) वालुवा चाल्ने जाली	"	११५।००	
	(ग) कुखुरे जाली (Chicken wire mesh)	"	७०।००	
	(घ) ब्रास किसिङ्ग जाली	"	१८०।००	
	ड. स्टील जाली (crossing)	"	१४५।००	
	च मसिनो खालको steel Mosquito proof जाली	"	२५०।००	
२८	फलामबाट निर्मित सामानहरु			
क	M.S. Grill बनाई जडान गर्ने काम समेत तयारी	के.जी	१४०।००	
ख	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.मी	५००।००	
ग	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.मी	३२८।९०	
घ	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्टीप सटर प्वाल भएको	व.मी	४४२५।००	
ङ	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइएको साथै जडान गर्ने समेत	व.मी	५०५०।००	
च	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत)	व.मी	६८००।००	
ज	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भ्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भ्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	२७८३।००	
झ	फलामे सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी.	४४।२८	
ञ	All type of general MS structural works	व.मी	१७००।००	
ट	Truss & roofing works Plain sheet 26 gauge	व.मी	१९७०।००	
ण	Truss & roofing works colour sheet 26 gauge	व.मी	२३१०।००	
त	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१७७।९०	
थ	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m-4.0 m length	गोटा	१७७।००	
२९	Glass सीसा			
२९.१	Plain सादा (सेतो)			
	(क) ३ मी.मी.	व.मी	४७०।००	
	(क१) ३।५ मी.मी.	व.मी	४८५।००	
	(ख) ४ मी.मी.	व.मी	६४५।००	
	(ग) ५ मी.मी. "	व.मी	८६०।००	
	(घ) ६ मी.मी. "	व.मी	९६५।००	
२९.२	Printed Glass (बुट्टेदार सिसा)			
	(क) ३ मी.मी.	व.मी	८६०।००	
	(ख) ४ मी.मी. " "	व.मी	८६०।००	
२९.३	Poly Fibre Glass			
	(क) ६ मी.मी.	व.मी	१३६०।००	
२९.४	Black Color Glass			
	(क) ३ मी.मी.	व.मी	८००।००	
	(ख) ४ मी.मी.	व.मी	९६०।००	
	(ग) ५ मी.मी.	व.मी	१०७५।००	
२९.५	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने			

फिक्कल गाउँपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)	कैफियत
			आ.व.०७६।०७७	
	(क) ५ मि.मि बाक्लो	व.मि.	९६५।००	
२९.६	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture			
	(क) ४ मी.मी. बाक्लो	व.मि.	५२०००।००	
२९.७	विभिन्न रंगको Reflector Glass (शिरा)			
	५ मी.मी मोटो	व.मि.	१६६००।००	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ ।			
३०	Corrugated/Plain Fiber Glass Sheet			
क	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१०६५।००	
ख	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	११०।००	
ग	(ख) १.२ मी.मी. मोटो प्लेन	"	११०।००	
घ	१.२ मी.मी. मोटो कोरोगेटेड	"	१२६।५०	
ङ	(ग) २ मी.मी. मोटो प्लेन	"	१८७।००	
च	२ मी.मी. मोटो कोरोगेटेड	"	२२०।००	
ज	(घ) ३ मी. मी. मोटो प्लेन	"	२५३।००	
झ	३ मी. मी. मोटो कोरोगेटेड		३३०।००	
ञ	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	Rm	६०।५०	
ट	(च) Fiber Glass छानाको लागि Ribet nut	no.	६।०५	
३१	भ्याल ढोकामा लाग्ने Fixture हरू			
A	Iron बाट बनेका			
क	Hinge (कब्जा)			
१	(क) ३" साइज	गोटा	१४।००	
२	(ख) ४" साइज	"	२६।००	
३	(ग) ५" साइज	"	४०।००	
४	(घ) ६" साइज	"	५२।००	
ख	Locking Set (L-drop)			
१	300 mm	गोटा	२४०।००	
२	225 mm	"	२१०।००	
३	150 mm	"	१८०।००	
B	Aluminum बाट बनेका			
क	Towerbolt (छेस्कीनी)			
१	(क) ३" लामो	गोटा	१८।००	
२	(ख) ४" लामो	"	३५।००	
३	(ग) ६" लामो	"	५९।००	
४	(घ) ८" लामो	"	७९।००	
५	(ङ) १०" लामो	"	८३।००	
६	(च) १२" लामो	"	९४।००	
C	Handle (हतकल)			
१	Ordinary	गोटा	२७।८५	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
२	Special	"	४१।७७	
D	Brass बाट बनेका			
क	Hinge (कब्जा)			
१	2" x 1/2"	गोटा	५५।७०	
२	2 1/2 x 3/4"	"	६२।६६	
३	3" x 3/4"	"	७६।५८	
४	2" x 3/4"	"	६२।६६	
५	2 1/2" x 3/4"	"	६९।६२	
६	3" x 3/4"	"	७६।५८	
७	3" x 1"	"	१६७।०९	
८	4" x 1"	"	२५०।६३	
९	5" x 1"	"	३३४।१८	
१०	6" x 1"	"	४०३।८०	
E	Towerbolt (छेस्कीनी)			
१	(क) ३" लामो	गोटा	१२५।३२	
२	(ख) ४" लामो	"	१६७।०९	
३	(ग) ६" लामो	"	२५०।६३	
४	(घ) ८" लामो	"	३३४।१८	
५	(ङ) १०" लामो	"	४१७।७२	
६	(च) १२" लामो	"	५०१।२६	
छ	Handle (हतकल)			
१	6" Brass handle	गोटा	१३२।२८	
२	8" Brass handle	"	४०३।८०	
३	10" Brass handle	"	८३५।४४	
४	Brass 5"	"	१२५।३२	
५	Brass 6"	"	१९४।९४	
G	Locking Set (L-drop)			
१	(क) ८" लामो	गोटा	८३५।४४	
२	(ख) १०" लामो	"	१३७८।४८	
३	(ग) १२" लामो	"	१५३१।६४	
H	Special Fittings			
	एल ड्रप :-			
१	८" लामो	गोटा	९३७।१३	
२	१०" लामो	"	१०५८।४०	
३	१२" लामो	"	११०२।००	
I	ह्याण्डल :-			
१	८" लामो	"	११०२।००	
J	टावर बोल्ट :-			
१	६" लामो	"	१९८।४५	
२	८" लामो	"	२६४।६०	
३	१०" लामो	"	३३०।७५	
k	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)			
	एल ड्रप :-			

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
१	८" लामो	गोटा	७८७।००	
२	१०" लामो	"	९९७।००	
३	१२" लामो	"	११०२।००	
L	ह्याण्डल :-			
१	६" लामो	"	२२०।५०	
२	८" लामो	"	३३०।७५	
M	Mortice Lock			
१	Ordinary	गोटा	५५१।२५	
२	Chinese	"	३६७।००	
३	Indian Godrej Company	"	२२५७।००	
४	Brass		९९७।००	
O	Door Spring (Door Closer)			
१	Ordinary	गोटा	१५७।००	
२	hydraulic	"	१६५३।७५	
P	Other Door/Windows fixtures			
१	Window I-hook	गोटा	१६।००	
२	Gate Hook			
३	4" Gate hook	गोटा	२७।००	
४	5" Gate hook	"	३१।००	
५	6" Gate hook	"	३७।००	
६	Brass Gate hook		६६।१५	
Q	Door stopper			
१	Diamond	गोटा		
२	Butterfly	"	१३१।००	
३	Bell catch 2" size	"	१७३।००	
४	C.P. handle	"	३७५।००	
T	Power coated handle	"	३५८।००	
१	Brass coated handle	"	७७१।७५	
U	Door stopper, single brass stopper	सेट	८८।२०	
१	Door stopper double brass stopper	"	१५७।००	
३२	बिबिध सामग्रीहरु			
क	Hold fast different sizes (7 nos./Kg.)	के.जी.	११०।००	
ख	Nails (different sizes)	के.जी.	९९।००	
ग	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७००।००	
घ	कवाडी फलामे सामानहरु(बन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	२५।००	
ङ	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, डीलीड मेसीन,डीलीड विट)	के.जी.	२०।००	
द	Nut and Bolts	गोटा	२५।४९	
ज	Nut and Bolts (different sizes)	के.जी.	१४५।२०	
झ	Sandpaper (खागसी)	गोटा	४।८४	

फिक्कल गाउँपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
अ	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१२१।००	
ढ	२" साइज रुफिङ्ग नेल्स	गोटा	६।०५	
	३" साइज रुफिङ्ग नेल्स	"	८।४७	
k	Screw Brass			
१	20mm	गोटा	१।६९	
२	25mm	"	२।३६	
३	35mm	"	३।६३	
४	50mm	"	१०।६५	
५	75mm	"	१३।३१	
l	Screw Steel			
१	20mm	"	१।०३	
२	25mm	"	१।६९	
३	35mm	"	२।०६	
४	50mm	"	६।३५	
५	75mm	"	६।६६	
m	विटुमीन वासर	गोटा	३।००	
थ	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	९०।००	
द्व	५०० गेज प्लाष्टिक सिट	व.मी.	३०।००	
म	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२४००।००	
य	Plasticfelt (२०मी. × १मी.)	"	२२५०।००	
च	१८-२० फिट लामो बाँस	गोटा	१८०।००	
	मैन पालिस	के.जि.	२००।००	
t	अक्जालिक एसिड	"	११५।००	
ल	जुट वा पोलिथिनको खाली बोरा	गोटा	१५।००	
स	माटो (ढुवानि बाहेक)	घ.मि.	२२०।००	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	३८५।००	
ह	भुस	के.जि.	४।९५	
	गोबर	"	४।४०	
ह	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९०।००	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९५।००	
क्ष	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९।००	
ज	Water (पानी)			
	३ कि.मी. सम्म को दुरीमा	लिटर	०।२५	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	०।३०	
३३	स्टेनलेस स्टील पाइप (257/kg)			
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१७१।६०	
	१" व्यास भएको १६ गेज मोटाई	"	२१४।५०	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	२७३।००	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३३१।५०	
	२" व्यास भएको १६ गेज मोटाई	"	४४८।५०	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	स्टील रेलीड. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फी.	११३४।००	
३४	मार्बल चिप्स			
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१५०।००	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१५०।००	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१६०।००	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१३५।००	
३५	मार्बल (Marble)			
३५.१	राजस्थानी मार्बल			
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	१२६।००	
	१६ मी.मी बाक्लो राजस्थानी	"	१३१।२५	
३५.२	ग्रेनाइट			
३५.२.१	१२ मी.मी बाक्लो ग्रेनाइट	"	२६२।५०	
३५.२.२	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	२६७।७५	
३५.२.३	१९ मी.मी बाक्लो ग्रेनाइट	व.फि.	३०४।५०	
३५.३	Kota Stone			
३६	Porcelain Glazed/Terrazo Mosaic Tiles			
३६.१	Porcelain Glazed Tiles			
	ग्लेज टायल्स (१२ " X ८ ") सम्मको ।	व.फि.	४४।१०	
	ग्लेज टायल्स (१२ " X १२ ") माथिको ।	"	६०।९०	
१	Cotto Tiles	"	११२।३५	
२	Kajaria, Vermura,Somany, Orient Tile or equivalent	"	७५।६०	
३	Ordinary floor and wall Tile	"	(	
४	Border Tile (२ " X ८ ")	र.फि.	३८।८५	
५	Border Tile (२ " X ८ ")	व.फि.	१५।७५०	
६	Indian Ceramic Wall Tile (31*45cm)	"	१५९।६०	
७	Indian Ceramic Border Tile (31*45cm)	"	१५९।६०	
८	Indian Ceramic Floor Tile (31*45cm)	"	१३३।३५	
	Flooring tile GVT Swastik/Victory / Espanoi or equivalent			
३६.२	LG Floors Tiles			
	L.G. Deluxe Tiles (300x300x2mm)	"	७०।३५	
	L.G. Deco Tiles (450x450x3mm)	"	२८५।६०	
	L.G. Deco Wood (100x920x3mm)	"	१०७।१०	
	Fittings for Tiles	"	१२।६०	
	Fittings for Tiles on stairs	"	१४।७०	
	Dendrite for tiles	लि.	३४३।३५	
३६.३	ELITE / FORBO FLOORING COATING			
३७	Plaster of Parish (POP) cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.			
	a) POP Molding 1" to 1½"	र.मि	२३१।००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	b) Up to 5" wide	र.मि	२७७।००	
	c) Up to 8" wide	र.मि	३८२।००	
	d) Above 8" wide	र.मि	१५६।००	
३७.१	रंगरोगनका सामानहरु			
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	१७।००	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	३२।००	
	(ग) विभिन्न प्रकारको भारतीय चुन रंगिन	"	३४।००	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	६०।००	
	(थ) सिमेन्ट प्राइमर सेतो	"	२३६।२५	
	(छ) उड प्राइमर (Wood Primer)	लिटर	३१५।००	
	(ड) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	४६३।१०	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	४४६।२५	
	(ज) कोरुगेटेड रुफ Paint	"	४२०।००	
	(झ) तयारी अल्मुनियम पेन्ट	"	४३५।७५	
	(ञ) तयारी वार्नेस	"	३८८।५०	
	(ट) तयारी वार्नेर सेन्थेटिक	"	२९४।००	
	(ठ) भारतीय थिनर	"	१७०।००	
	ड) उड एण्ड ग्लास पुटिन	के.जी	११५।५०	
	ढ) सेटल पुटिन	"	१३६।५०	
	ण) चुना पेन्ट गर्न राख्ने गम	"	१७८।५०	
	त) नेपाली थिनर	लिटर	१६०।००	



फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (रु.) आ.व.०७६।०७७	
	(द) तारपिन तेल	"	१८९।००	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२३९।००	
	(न) उड प्रिजरभेटिव पेन्ट	"	२०९।६०	
	(प) Black Japan Paint	"	२५२।००	
	(फ) राम तिलक	के.जि.	४९।३५	
	(ब) गेरु रंग	के.जि.	१२०।७५	
	(भ) चप्रा पालिस	के.जि.	८०८।५०	
	(म) तयारी बासेवल डिस्तेम्पर	लि.	१५२।९०	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	४६४।२०	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	५५६।५०	
	(र) Road Marking Paint	"	५९९।००	
	(ल) लिनसिड आयल (linsed Oil)	"	१७३।२५	
	(व) स्थानीय स्पीट	लि.	१०३।९५	
	(स) मोविकल/फेविकल	के.जि.	२३९।००	
	(ष) Tata Red Oxide Paint	"	२३९।००	
	(ह) गट्टा चुन (ईण्डीयन)	"	१९।४३	
	(क्ष) Wall putty equaivalent Asian , Berger & other company.	के.जि.	६०।९०	
	(त्र) Plaster of Parish (POP)	के.जि.	१९।९५	
	wood keeper (chapara type)	लि.	४८५।८४	
	Redoxide zink cromate primer For Bridge	लि.	४०९।००	
	Silk Breathless easy	लि.	११२५।००	
	Road divider (polythene)	गोटा	१५००।००	
	Dust bin (polythene) 165 ltr	गोटा	२८५०।००	
	Wall putty Epoxy flooring			
	wall plast wall putty (40kg)	Bag	१२०७।५०	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	१९२५।००	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३४९०।००	
	Epoxy Paint for Operation theater	"	१०६४२।००	
३७.२	Decorative Painting Material Acro & equivalent			
क	Specialized paints(Dr. wallz)			
३८	Wall Paper			
	Wall paper (10m.x 0.53m)	रोल	१२००।००	
	Fittings for wall paper	व.फि	७।००	
	White glue for wall paper	लि.	१०५।००	
३९	Eradication of peepal & other plants			
	a) Stem up to 1" thickness	गोटा	४०५।९०	
	b) Stem up to 1"-2" thickness	"	७३५।९०	
	c) Stem up to 2"-3" thickness	"	१३९७।५५	
	d) Stem up to 3"-4" thickness	"	१६०४।४६	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (र.) आ.व.०७६।०७७	
४०	Gypsum board			
४०.१	Supplying and fixing of Thai gypsum board application work			
	i) फल्स सिलिङ्ग गर्ने	व.फि	२१।००	
	ii) Water resistant false ceiling	"	२९।४०	
	iii) Wall partition	"	११५।५०	
	iv) Wall paneling	"	७६।६५	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	६८।२५	
४१	Calcium Silicate Board supplying & fitting all complete work			
४१.१	RAMCO HILLUX Brand			
	6mm thick	व.फि	७७।८८	
	8mm thick	"	८८।५०	
	10mm thick	"	९९।१२	
	12mm thick	"	१०९।७३	
४१.२	Cement flexy board False ceiling work			
	Ceiling work 6mm thick	व.मी.	१०५।००	
	Floring board 25mm*8ft*4ft	गोटा	४८०।००	
	Wooden Plank 8*150*3000mm	"	१२०।००	
	Skirting 8*50*300mm	"	९५।००	
	Texture board 6mm*8ft*4ft	"	१९२।००	
	Solid infill wall 3"	व.मी.	३२०।००	
	Laminated safety glass 6.38mm	"	६९९।००	
	Structure glazing with laminated safety glass 6.38	"	११७०।००	
४१.३	Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent			
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३२०।००	
४२	Interlocking Cement Concrete Block(Not less than M20 RCC Block)			
	a) Curb stone (M 25)	र.मि.	९९।००	
	25 mm thick C.C. Tile (Grey color)			
	Burfi , Round , Bobby Checker	Sqft	३८।००	
	25 mm thick C.C. Tile (Red color)			
	Burfi , Round , Bobby Checker	Sqft	४०।००	
	50 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	४६।००	
	50 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	४७।००	
	60 mm thick CC Block (Grey color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४८।००	

फिक्कल गाउँपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
	60 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	Sqft	४९।००	
	70 mm thick CC Block (Red color)			
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	Sqft	५५।००	
	60 mm thick CC Block (Ocm or equivalent)			
	Brick type (23*11*6cm)non colour	Nos	८।८५	
	Hexagon (22*22 cm) non colour	"	२०।३५	
	Hexagon (22*22 cm) colour		२२।९२	
	Squire paver (30*30*4.5cm)non colour	"	२८।३२	
	Squire paver (30*30*4.5cm)colour		३०।९७	
	inter block(24*13*6cm)	"	१३।२७	
	Isave paver (20*16*6cm)	"	१५।०४	
४३	छानामा टाइलको बुट्टा काट्ने र पानी पट्टी कार्य			
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा रुफिड टाइलको बुट्टा काट्ने सामान सहित (तयारी)	व.मि.	६०५।००	
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	७२।६०	
४४	Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting			
	i) Heritage granular	व.फि	८५।००	
	ii) Heritage flakes	"	१०५।००	
	iii) Heritage granite finish	"	८५।००	
	iv) Heritage Top coat (plastic lamination)	"	२२।००	
४५	UPVC Profile Door and Window/ Wall partition			



फिक्कल गाउँपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (र.)	कैफियत
			आ.व.०७६।०७७	
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.			
	UPVC को भ्याल, ढोका तथा wall partition का निर्माण सामग्रीहरू			
	i) Single glazing			
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि.	७००५।००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि.	६४७०।००	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि.	७२७५।००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि.	७२७५।००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि.	७९७५।००	
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि.	८०८५।००	
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि.	८६२५।००	
८	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि.	८६२५।००	
९	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि.	८३५५।००	
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि.	९७००।००	
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि.	८३७५।००	
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि.	९५११।००	
१२	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि.	१००५१।००	
१२	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि.	१०४०५।००	
१३	UPVC60x60mm white colour swing door with 5mm glass pannel		६५३१।००	
	ii) Double glazing			
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि.	९१६०।००	
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि.	८६७५।००	



फिक्कल गाउपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६/०७७	
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि.	९४३५।००	
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि.	९४३५।००	
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि.	१०१३५।००	
६	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि.	१०२४०।००	
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि.	१०७८०।००	
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि.	१०५१०।००	
९	Supply & fixing of 80*50 mm white colour casement window	व.मि.	९३३९।००	
४६	Prefab Panel for wall Partition Everest solid wall panel (ESWP) or Equivaient			
४६.१	Supply and erection of different mm th. cement base prefabricated everst solid wall panel (RAPION) non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete			
	a)40 mm thick	sqft	१६७।०५	
	b)50 mm thick	sqft	१९६।२२	
	c) 75 mm thick	sqft	२४८।७५	
४६.३	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	Sqft	३२।००	
४७	Aluminium & Steel Door & Window			
४७.१	Mention rates are including supplying of necessary chemicals, materials, fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.			
	100 Series			
	Providing and fixing Single Panel Swing Door of aluminium section in naturally anodized or black anodized/powder coated color Section size (100*45*1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	व.मि.	७५००।००	
	Providing and fixing Double Panel Swing Door of aluminium section in naturally anodized or black anodized/powder coated color Section size (100*45*1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	व.मि.	७५००।००	
	90 Series Windows			

फिक्कल गाउँपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६।०७७	
	Providing and fixing 2 or 3 Panel Sliding window of aluminium section in naturally anodized or black anodized/powder coated color, Section size (87*56*1.2 mm) fitted with 5 mm clear glass without fly mesh shutter (Window size 6'5' or average area 30 Sq. feet per window).	व.मि.	५५००।००	
	Providing and fixing Fly mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	व.मि.	५५००।००	
	64 Series Partation			
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88*38*1.20) mm and 5 mm glass.	व.फि.	४४०।००	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88*38*1.20) mm and 5 mm glass.	"	४७३।००	
	Aluminum sliding windows without ventilator from section (101*45*1.50) mm and 5 mm glass.	"	४६२।००	
	Do but with ventilator from section (101*45*1.50)mm and 5 mm glass.	"	४९५।००	
	Siding door with naturally anodized color section of (101*45*1.50)mm (40*45*1.5)mm & 5 mm glass.	"	५६८।७०	
	Casement double panel aluminum windows with ventilation. Section size (54*33*1.50)mm, (38*34*1.50)mm & 5 mm glass.	"	४४०।००	
	Casement door of aluminum section in naturally anodized color. Section size (101*45*1.50) mm and 5 mm glass.	"	५३९।००	
	Swing door door of aluminum section in naturally anodized color. Section size (101*45*1.50) mm and 5 mm glass.	"	५३९।००	
	Siding windows 2 track in naturally anodized color section of (88*38*1.30)mm 5 mm glass.	"	४९८।००	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101*45*1.50)mm	"	४९८।००	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	"	४९८।००	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	"	३९६।००	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	"	४३४।५०	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	"	४७८।५०	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	"	४७८।५०	
	दुई/तीन पैनल भएको स्लाइडिङ भ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	"	४३४।५०	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	६७५।००	

फिक्कल गाउँपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	६७५।००	
	Partition work			
	Providing and fixing aluminum full height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३५०।००	
	Providing and fixing aluminum low height partition of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	३५५।००	
	Providing and fixing aluminum full height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	४५०।००	
	Providing and fixing aluminum low height partition of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 6 sqft	"	४५०।००	
	Structure glazing			
	Providing and fixing aluminum structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६५०।००	
	Providing and fixing aluminum structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६५०।००	
	Providing and fixing aluminum structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६५५।००	
४८	Aluminium composite panel			
४९	Water proofing (chemicals & Treatment) works			
१	CONCRETE ADMIXTURES (Chemical)			
१.१	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 Dose 0.3 to 1.1 % by wt. cement	Kg.	५००।००	
१.२	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formldehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	Kg.	५५०।००	
१.३	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) Dose : 0.2 to 1.6 % by wt of cement	Kg.	६५०।००	
१.४	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose : 0.4 to 2% by wt of cement	Kg.	५५०।००	

फिक्कल गाउँपालिकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (र.) आ.व.०७६/०७७	
१.६	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	५५०१००	
१.७	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	Kg.	४४०१००	
१.८	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 2 % by wt of cement	Kg.	४५०१००	
१.९	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	Kg.	३७५१००	
१.१०	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	Kg.	५५०१००	
१.११	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	Kg.	५५०१००	
१.१२	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	Kg.	५५०१००	
१.१३	Retarding Superplasticizer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	Kg.	५५०१००	
१.१४	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	Kg.	५५०१००	
१.१५	Resin ,Multi /polycarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	kg	५५०१००	
२	CONCRETE ADMIXTURES (Mineral)			
२.१	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	Kg.	३५०१००	
२.२	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	Kg.	४५०१००	
५	ENGINEERING GROUTS			
१०.५	WATERPROOFING SYSTEMS			
१४	Soil Stabiliser / Admixture			
१४.१	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to 0.4 % by wt of cement	kg	३५०१००	
५०	परम्परागत निर्माण सामग्रीहरू :-			
	१) दचि अषा ठूलो ८"×२-३/८"×५"	गोटा	२०१००	
	२) दचि अषा सानो ८३/८"×२-१/८"×४-१/४"	"	१६१००	
	३) दचिअषा ठूलोको कु	"	२४१००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
४)	दचिअपा सानोको कुँ अपा	"	२०।००	
५)	माँ अपा ठुलो ८-७/८"×२-१/४"×५-३/४"	"	(	
६)	माँ अपा ठुलो 241x60x158 mm	"	२३।००	
७)	मा अपा सानो ८-३/८"×२"×५"	"	१५।००	
८)	धुरी चाङ्ग ठूलो ९-३/८"×५-१/२"×३/४"	"	२२।००	
९)	धुरी 230x295x25 mm	"		
१०)	धुरी चाङ्ग सानो	"	१६।५०	
११)	फिगटी नयाँ ८-३/४"×४"	गोटा	११।००	
१२)	फिगटी पुरानो	गोटा	६।६०	
१३)	ढुकु	गोटा	३८।५०	
१४)	Snake body brick traditional	गोटा	२४।२०	
१५)	Snake neck brick ,,	गोटा	७।५०	
१६)	Snake head brick ,,	गोटा	१४।०८०	
	क)साना	"	११।००	
	ख)ठुलो	"	२२।००	
१७)	पेटीकोलागि दुङ्गा			
	क) १८"×१०"×४"	"	६६।००	
१८)	नागोल ईटा	गोटा	१८।७०	
१९)	९"×९"×१८ इन्च कुना दुङ्गा	१ मि.	२२००।००	
२०)	फ.ल्होह अपा ठुलो 375x225x100mm	गोटा	१६५।००	
२१)	फ.ल्होह अपा सानो 254x229x102mm	"	१३७।५०	
२२)	तीनकुनै तेलिया ईटा (९"×९"×२-१/४"	"	१३।२०	
२३)	तीनकुनै तेलिया ईटा (६"×६"×२-१/४"	"	९।९०	
२४)	चारकुनै तेलिया ईटा (८"×८"	"	१८।७०	
२५)	तेलिया ईटा (६"×६"	"	१३।२०	
२६)	बुट्टेदारी कर्निश इटा (काशीमोहरु)	"	२७।५०	
२७)	बुट्टेदारी कर्निश इटा कुना	"	४०।७०	
२८)	बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	"	१६५।००	
२९)	भ्याल माथिको कर्निश ईटा बुट्टेदारी	"	३३।००	
३०)	काठको कर्निश माथिको इटा ११×६×२.५"	"	५५।००	
३१)	कर्नर स्टोन : १०"×१०"×१४"	"	१५४।००	
३२)	क) विचको न्याहाकल्ल १०"×७"×१४"	"	१०४५।००	
३३)	नागोल दुङ्गा १८"×१०"×५"	"	७७।००	
३४)	भौ प्वा	गोटा	२२।००	
३५)	तामा पाता. (नेपाली)	केजी	१०४५।००	
	तामा पाता (Indian)	केजी	१२१।००	
३६)	पित्तल पाता	केजी	८२५।००	
३७)	पारो	ग्राम	१६५।००	
३८)	सूर्कि इटा कुटि धुलो बनाएको ।	टन	१३२०।००	
३९)	Wind bell हवा घण्टी ४"	गोटा	४५३।२०	
४०)	न्हकल्लो बीचको	१ गोटा	१६५।००	
४१)	पेटीदुङ्गा ४"	१ मि.	१९८०।००	
४२)	पेटीदुङ्गा ५"	१ मि.	२४२०।००	
४५)	श्री गणेश	गोटा	११००।००	
४६)	कुमार	गोटा	११००।००	
४७)	धारा	गोटा	११००।००	

फिक्कल गाउपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (र.) आ.व.०७६/०७७	
	ढड/लहकै सेद	गोटा	२२००/००	
	ढड/नागबेली बुधा	गोटा	२४/२०	
	छण/नागबेली बुधा कुना	गोटा	३६/३०	
	छज/स्वा बुधा	गोटा	२४/२०	
	छद/चीर बुधा	गोटा	२४/२०	
	छघ/कानैसफयो	गोटा	२०/१०	
	छढ/कानैस गजुर पली	गोटा	३३/००	
	५५)ठुलो कलश	गोटा	१६५/००	
	५६)मसीनो सूकि	केजि	१३/००	
	५७)खस्रो सुकि	केजि	७/५०	
	५८)गट्टा चुन	के.जि.	२४/००	
	मा अपा (साइज 200x50x130)	गोटा	१५/४०	
	दचि अपा (साइज 200x55x100)	"	१६/५०	
	त्वा अपा (साइज 110x55x180)	"	१६/५०	
	गोल अपा (साइज 120x55x80)	"	१६/५०	
	गणेश अपा (साइज 200x250x35)	"	३३०/००	
	कुमार अपा (साइज 200x250x35)	"	३३०/००	
	तारा अपा (साइज 200x250x55)	"	३३०/००	
	पञ्च बुद्ध अपा (साइज 170x230x55)	"	३३०/००	
	कलस अपा (साइज 100x140x40)	"	५५/००	
	नागोल अपा (साइज 140x52x120)	"	१८/७०	
	कसिमो अपा (साइज 230x55x100)	"	२७/५०	
	सकली अपा (साइज 140x55x115)	"	२४/२०	
	पानबुद्धा अपा (साइज 140x55x115)	"	२४/२०	
	सानो फ बुद्धा अपा (साइज 180x55x30)	"	२७/५०	
	ठूलो फ बुद्धा अपा (साइज 230x55x110)	"	२७/५०	
	नयां फ बुद्धा अपा (साइज 230x55x110)	"	२७/५०	
	साना ग बुद्धा अपा (साइज 140x50x110)	"	२४/२०	
	ठूलो ग बुद्धा अपा (साइज 230x55x90)	"	२७/५०	
	पुम्हा बुद्धा अपा (साइज 180x55x70)	"	२७/५०	
	तिनकुने स्वाँ अपा (साइज 200x550x30)	"	२७/५०	
	तिनकुने पलि अपा (साइज 200x550x90)	"	२७/५०	
	साना स्वाँ अपा (साइज 140x50x110)	"	२४/२०	
	ठूलो स्वाँ अपा (साइज 2300x55x90)	"	२७/५०	
	नाग टाउको दायाबायाँ (साइज 100x150x50)	"	१३७/५०	
	नाग घटी दायाबायाँ (साइज 140x60x70)	"	७/५०	
	नाग जीउ (साइज 140x60x70)	"	२४/२०	
	नाग कन्या/पुरुष (साइज 180x380x55)	"	५५०/००	
	खाल नागोल (साइज 130x55x120)	"	१८/७०	
	खाल फयो (साइज 130x55x135)	"	१८/७०	
	लहरा बुद्धा (साइज 125x45x140)	"	२४/२०	
	नग बेली (साइज 140x55x120)	"	२४/२०	
	मिखाफुसी (साइज 140x55x120)	"	३३/००	
	पलियो दायां/बायां (साइज 130x55x120)	"	२४/२०	
	नयां पलिफो (साइज 185x52x80)	"	२७/५०	
	सिधा पलिफो (साइज 190x55x90)	"	२७/५०	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	२" सिंह (साइज 95x5010)	"	३३।००	
	२" गरुड (साइज 95x50x100)	"	३३।००	
	धलिख्वा (साइज 95x50x100)	"	३३।००	
	श्रीयन्त्र (साइज 70x700x80)	"	४४।००	
	त्वा फयो (साइज 140x55x120)	"	१८।७०	
	तारा बुट्टा पुरानो (साइज 180x55x80)	"	२४।२०	
	तारा बुट्टा नयाँ (साइज 230x70x90)	"	२७।५०	
	स्वांफो तारा (साइज 220x55x90)	"	२७।५०	
	सिक्री बुट्टा (साइज 220x55x80)	"	२७।५०	
	न्हाय बुट्टा सानो (साइज 140x65x130)	"	२७।५०	
	न्हाय बुट्टा ठूलो (साइज 140x100x130)	"	२७।५०	
	नगोल नगोल (साइज 2000x55x90)	"	१८।७०	
	ठी बुट्टा (साइज 210x55x75)	"	२७।५०	
	सानो/ठूलो (साइज)	"	२७।५०	
५१	Security System			
	Steel Security Gate supply			
	Metal detector (black Scorpion Company)	गोटा	१६५००।००	
	Access Controller (Taiwanese)	गोटा	२८०००।००	
	Access Controller (Chainese)	गोटा	१३५००।००	
	Steel Security Door			
	Single leaf :- 50 mm, 70 mm, 100mm	Sqm	८४३०।००	
	Half leaf : - 50 mm, 70 mm, 100mm	Sqm	९६४१।००	
	Double leaf : - 50 mm, 70 mm, 100mm	Sqm	१०९१६।००	
	Security System			
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३३३३३।००	
	ii) Long range distance wireless intruder Alarm system (including Host Unit-1, PIR motion detector-3, Remote Controller -2) (अफिस तथा व्यापारिक सुरक्षा प्रविधि)	गोटा	८९९९९।००	
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	२००००।००	
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	१२५००।००	
	v) Finger print access system with software	गोटा	३५०००।००	
	vi) Security from Panic Alarm	गोटा	३५०००।००	
	vii) GPS (Global Positioning System) Device with software	गोटा	२४९९९।००	
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)			
	Up to 1/2 H.P.	गोटा	४०००।००	
	1.0 H.P.	गोटा	५५००।००	
	5 H.P.	गोटा	९०००।००	
५२	Bridge Materials			
	Expansion Joint Works			

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (र.)	
			आ.व.०७६।०७७	
	Single strip seal	Rm	७५००।००	
	Slab seal(320*50)	"	१५५००।००	
	Thimbles			
	iv) Φ 13 mm thimble	Pc	६०।००	
	v) Φ 26 mm thimble	Pc	२६४।००	
	vi) Φ 32 mm thimble	Pc	३६०।००	
	vii) Φ 36 mm thimble	Pc	८७६।००	
	viii) Φ 40 mm thimble	Pc	१२६०।००	
	ix) Φ 13 mm Bulldog grip	Pc	६०।००	
	x) Φ 26 mm Bulldog grip	Pc	२४०।००	
	xi) Φ 32 mm Bulldog grip	Pc	३२४।००	
	xii) Φ 36 mm Bulldog grip	Pc	३८४।००	
	xiii) Φ 40 mm Bulldog grip	Pc	५८८।००	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched			
	xv) Wire mesh netting	m ²	३००।००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	Pc	६००।००	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	Kg	२३०।००	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	Kg	३१०।००	
	High tensile friction grip nut bolts	kg	३१०।००	
	Galvanization			
	Zinc Above 98.5% purity	kg	२२२।००	
	Premix of Zinc amonium chloride	kg	५५०।००	
	Hydraucloric acid	Lit	३८।००	
५३	Concrete Post (Size 4"*4")			
	Length 7'	गोटा	८०८।५०	
	Length 5'	"	४०४।२५	



फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
क	जस्तापाता,विजुली सामान,सिसा,फुटने सामान तथा तौलको आधारमा बोक्ने नमिलने सामानहरु जस्तै लामो पाइप ५० मीमी.० भन्दा ठुला,लामो छडहरु,फलामे ट्रस,गेट सामान,ग्यावियन केटहरु लगायत औषधि,उपकरण भ्याक्सिन,मेटलबिन आदि ४० के.जी देखि ५० के.जी सरदर तौल बोको ४ कोष प्रति दिन हिडने भरियालाई	प्र.दिन प्र.जवान	७५५१००	
ख	बंगुर,बोका,बाखा,साँडे,गाई,राँगा आदि	प्र.कोष प्र.जवान	१२९१००	
ग	माछाको भुरा १०० गोटाको एक पकेट,हास तथा कुखुरा २०-३० गोटाको एक भारी ढुवानी गर्दा दैनिक ४ कोष हिडने भरियालाई	प्र.कोष प्र.जवान	१२९१००	
घ	फलफुल तथा डाले घाँस विरुवा एंव कटिङ्ग ढुवानी गराउनु पर्दा सरदर ४० के.जी. हुनु पर्ने	प्र.भारी प्रति कोष प्र.जवान	१२९१००	
५९	(क) नेपाल टेलिकम सिन्धुली शाखाबाट जिल्लाका रिपिटर स्टेशन ठाउँहरुमा रेडियो एन्टिना, भि.एच.एफ.सेटहरु एसिड डिफिल्ट्ड वाटर, डिजेल मोबिल आदि ५० केजि/लितर सम्मको भारी आदि मूल्यवान एवं अफ्यारा सामानहरु सुरक्षित साथ पू-याउने			
क	आले खोखले तथा अन्य ठाउका रिपिटर स्टेशन सबै	प्र.भारी प्रति	१५५०१००	
	(ख) टेलिफोन फलाम र फिटको पोल मानिसबाट ढुवानी गर्दा प्रति पोल समतलमा ८ र पहाडमा १२ जवान को दरले	कोष प्रति व्यक्ति	३३०१००	
	(ग) टेलिफोनको पोल उखेल्ल, गाड्न र केबल तान्नको लागि	प्र.व्यक्ति दिन	७५५१००	
	सवारी साधन नजाने स्थानमा निम्न क्षमताको त्र्यबलकायकभच्च मानिस बाट ढुवानी गर्दा १० KVA देखि १५ KVA सम्म प्रति गोटा	प्रती कि.मी.	३३००१००	
६०	विभिन्न मेशिन भाडामा :			
	एक्स्काभेटर र ब्रेकर (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	६०००१००	
	एक्स्काभेटर बकेट सहित (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	२९००१००	
	डोजर (भाडामा), ईन्धन वाहेक	घण्टा	२४२०१००	
	लोडर (भाडामा), ईन्धन वाहेक	घण्टा	१६५०१००	
	रोलर (भाडामा), ईन्धन वाहेक	घण्टा	११००१००	
	ग्रेडर (भाडामा), ईन्धन वाहेक	घण्टा	२२००१००	
	मिक्स्चर मेशिनर (भाडामा)	दैनिक	४९५०१००	
	न्यूमेटिक रोलर	घण्टा	२७५०१००	
	डिस्टीब्युटर बोइलर सहित	घण्टा	३८५०१००	
	कम्प्रेसर मेशिन	घण्टा	५५०१००	
	भाईब्रेटर मेशिन	घण्टा	९६१८०	
	भाईब्रेटर मेशिन (with oil and Operator)	घण्टा	२७५१००	
	चिप्स स्प्रेय मेशिन	घण्टा	२२०१००	
	भाईब्रेटर रोलर मेशिन ८ देखि १० टन सम्म	घण्टा	२२००१००	
	जे.सि.वी मेशिन (ईन्धन सहित)	घण्टा	२३००१००	
६१	बिजुली सामान मानिस बाट ढुवानी			
	बिजुली काठको पोल मानिस बाट ढुवानी गर्दा प्रति पोल समतलमा ८ जना, पहाडमा १० जना को दरले	कोष /व्यक्ति	१६५१००	
	(क) स्टील ट्युबलर पोल ९ मिटर देखि ११ मिटर टेलिस्कोपिक पोल ९ मिटर देखि ११ मिटर मानिस बाट ढुवानी गर्दा प्रति पोल समतलमा १० जना पहाडमा १२ जना को दरले	कोष /व्यक्ति	२२०१००	

फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (रु.) आ.व.०७६।०७७	
	Length 3'	"	२०२।९३	
५४	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	Sq.m.	२६९४।००	
५५	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	Rft	२००।००	
	" Ventilation	"	२००।००	
	" Arc frame semi circular	"	४००।००	
५६	सामान ढुवानी सम्बन्धि दररेट :			
१	ट्रक, इन्धन वाहेक (६ टन)	दैनिक	८८००।००	
२	ट्रक, इन्धन सहित	दैनिक	९६४४५।००	
३	ढुवानी (पक्की सडक)	प्र.क्वि./किमि	२।२५	
४	ढुवानी (ग्राभेल सडक)	प्र.क्वि./किमि	२।७५	
५	ढुवानी (कच्ची सडक/धूले सडक)	प्र.क्वि./किमि	४।००	
६	ट्रेक्टर (इन्धन वाहेक)	दैनिक	३८५०।००	
७	ट्रेक्टर (इन्धन सहित)	दैनिक	७०००।००	
८	जीपकार, इन्धन वाहेक	दैनिक	८०००।००	
९	पम्पीड सेट ४", इन्धन सहित	घण्टा	२२०।००	
१०	ढुवानी, ज्यामी द्वारा	प्र.के./किमि	९।००	
११	बालुवा ट्रेक्टर (इन्धन सहित) .ढुवानी गराउनु पर्दा	प्र.के./प्र.किमि	०।०७५	
१२	सिमेन्ट ट्रेक्टर (इन्धन सहित) .ढुवानी गराउनु पर्दा	प्र.के./प्र.किमि	०।९०	
१३	विभिन्न साइजको फलामे रड (इन्धन सहित) .ढुवानी गराउनु पर्दा	प्र.के./प्र.किमि	०।९५	
१४	विशेष निर्माण कार्यको लागी जस्तै भ्यू टावर र अन्य निर्माण कार्य मान्छे बाट ढुवानी गराउनु पर्दा ।			
	सिमेन्ट	प्र.के./प्र.कोषा	७।००	
	फलामे डन्ड (रड)	प्र.के./प्र.कोषा	२०।००	
	ईटा	प्र.गाँटा / प्र.कोषा	९८।००	
	बालुवा	प्र.के./प्र.कोषा	९२।५०	
	पानी	प्र.लि./ प्र.कोषा	९०।००	
११	खाडसाड देखि यसगाउपालीकाको विभिन्न बजारमा भरिया द्वारा HDPE pipe etc अष्ठयारो समान ढुवानी गराउँदा भरिया ज्याला	प्र.केजि/कोष		
१	हिउँदमा	प्र.केजि/कोष	२।००	
२	वर्षादमा	प्र.केजि/कोष	२।००	
५७	खाडसाड देखि यसगाउपालीकाको विभिन्न ठाउमा भरिया द्वारा पोलिथिन पाइप तथा अष्ठयारो समान ढुवानी गराउँदा भरिया ज्याला	प्र.केजि/कोष	६।००	
५८	४०-५० के.जि.सम्मको भारी बोकी प्रति दिन ४ कोष हिडने भरिया	प्र.दिन प्र.जवान	७९५।००	



फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			वाहेक (रु.) आ.व.०७६।०७७	
क	जस्तापाता,विजुली सामान,सिसा,फुटने सामान तथा तौलको आधारमा बोक्ने नमिलने सामानहरू जस्तै लामो पाइप ५० मीमी.० भन्दा ठुला,लामो छडहरू,फलामे ट्रस,गेट सामान,ग्यावियन क्रेटहरू लगायत औषधि,उपकरण भ्याक्सिन,मेटलविन आदि ४० के.जी देखि ५० के.जी सरदर तौल बोकी ४ कोष प्रति दिन हिडने भरियालाई	प्र.दिन प्र.जवान	७९५।००	
ख	बंगुर,बोका,बाखा,सोडे,गाई,रांगा आदि	प्र.कोष प्र.जवान	१२९।००	
ग	माछाको भुरा १०० गोटाको एक पकेट,हास तथा कुखुरा २०-३० गोटाको एक भारी दुवानी गर्दा दैनिक ४ कोष हिडने भरियालाई	प्र.कोष प्र.जवान	१२९।००	
घ	फलफूल तथा डाले घांस विरुवा एवं कटिङ्ग दुवानी गराउनु पर्दा सरदर ४० के.जी. हुनु पर्ने	प्र.भारी प्रति कोष प्र.जवान	१२९।००	
५९	(क) नेपाल टेलिकम सिन्धुली शाखाबाट जिल्लाका रिपिटर स्टेशन ठाउँहरूमा रेडियो एन्टना, भि.एच.एफ.सेटहरू एसिड डिप्टिल्ड वाटर, डिजेल मोबिल आदि ५० केजि/लिटर सम्मको भारी आदि मूल्यवान एवं अष्टयारा सामानहरू सुरक्षित साथ पू-याउने			
क	आले खोल्ने तथा अन्य ठाउँका रिपिटर स्टेशन सबै	प्र.भारी प्रति	१५५०।००	
	(ख) टेलिफोन फलाम र किटको पोल मानिसबाट दुवानी गर्दा प्रति पोल समतलमा ८ र पहाडमा १२ जवान को दरले	कोष प्रति व्यक्ति	३३०।००	
	(ग) टेलिफोनको पोल उखेल्न, गाड्न र केबल तान्नको लागि	प्र.व्यक्ति दिन	७९५।००	
	सवारी साधन नजाने स्थानमा निम्न क्षमताको त्र्यबलकायकभच मानिस बाट दुवानी गर्दा १० KVA देखि १५ KVA सम्म प्रति गोटा	प्रती कि.मी.	३३००।००	
६०	विभिन्न मेशिन भाडामा :			
	एक्स्काभेटर र ब्रेकर (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	६०००।००	
	एक्स्काभेटर बकेट सहित (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	२९००।००	
	डोजर (भाडामा), ईन्धन वाहेक	घण्टा	२४२०।००	
	लोडर (भाडामा), ईन्धन वाहेक	घण्टा	१६५०।००	
	रोलर (भाडामा), ईन्धन वाहेक	घण्टा	११००।००	
	ग्रेडर (भाडामा), ईन्धन वाहेक	घण्टा	२२००।००	
	मिक्स्चर मेशिनर (भाडामा)	दैनिक	४९५०।००	
	न्यूमेटिक रोलर	घण्टा	२७५०।००	
	डिस्ट्रीब्युटर बोइलर सहित	घण्टा	३८५०।००	
	कम्प्रेसर मेशिन	घण्टा	५५०।००	
	भाईब्रेटर मेशिन	घण्टा	९६।८०	
	भाईब्रेटर मेशिन (with oil and Operator)	घण्टा	२७५।००	
	चिप्स स्प्रेय मेशिन	घण्टा	२२०।००	
	भाईब्रेटर रोलर मेशिन ८ देखि १० टन सम्म	घण्टा	२२००।००	
	जे.सि.वी मेशिन (ईन्धन सहित)	घण्टा	२३००।००	
६१	विजुली सामान मानिस बाट दुवानी			
	विजुली काठको पोल मानिस बाट दुवानी गर्दा प्रति पोल समतलमा ८ जना, पहाडमा १० जना को दरले	कोष / व्यक्ति	१६५।००	
	(क) स्टील ट्युबलर पोल ९ मिटर देखि ११ मिटर टेलिस्कोपिक पोल ९ मिटर देखि ११ मिटर मानिस बाट दुवानी गर्दा प्रति पोल समतलमा १० जना पहाडमा १२ जना को दरले	कोष / व्यक्ति	२२०।००	



फिक्कल गाउँपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) वाहेक (रु.)	कैफियत
			आ.व.०७६/०७७	
क	जस्तापाता,विजुली सामान,सिसा,फुटने सामान तथा तौलको आधारमा बोक्ने नमिलने सामानहरु जस्तै लामो पाइप ५० मीमी.० भन्दा ठुला,लामो छडहरु,फलामे ट्रस,गेट सामान,ग्यावियन केटहरु लगायत औषधि,उपकरण भ्याक्सिन,मेटलविन आदि ४० के.जी देखि ५० के.जी.सरदर तौल बोकी ४ कोष प्रति दिन हिडने भरियालाई	प्र.दिन प्र.जवान	७९५१००	
ख	बंगुर,बोका,बाखा,साँडे,गाई,राँगा आदि	प्र.कोष प्र.जवान	९२९१००	
ग	माछाको भुरा १०० गोटाको एक पकेट,हास तथा कुखुरा २०-३० गोटाको एक भारी दुवानी गर्दा दैनिक ४ कोष हिडने भरियालाई	प्र.कोष प्र.जवान	९२९१००	
घ	फलफुल तथा डाले घाँस विरुवा एंव कटिङ्ग दुवानी गराउनु पर्दा सरदर ४० के.जी. हुनु पर्ने	प्र.भारी प्रति कोष प्र.जवान	९२९१००	
५९	(क) नेपाल टेलिकम सिन्धुली शाखाबाट जिल्लाका रिपिटर स्टेशन ठाउँहरुमा रेडियो एन्टिना, भि.एच.एफ.सेटहरु एसिड डिप्टिल्ड वाटर, डिजेल मोबिल आदि ५० केजि/लिटर सम्मको भारी आदि मूल्यवान एवं अफठयारा सामानहरु सुरक्षित साथ पू-याउने			
क	आले खोखले तथा अन्य ठाउका रिपिटर स्टेशन सबै	प्र.भारी प्रति	९५५०१००	
	(ख) टेलिफोन फलाम र किटको पोल मानिसबाट दुवानी गर्दा प्रति पोल समतलमा ८ र पहाडमा १२ जवान को दरले	कोष प्रति व्यक्ति	३३०१००	
	(ग) टेलिफोनको पोल उखेलन, गाड्न र केबल तान्नको लागि	प्र.व्यक्ति दिन	७९५१००	
	सवारी साधन नजाने स्थानमा निम्न क्षमताको त्चबलकायकभच मानिस बाट दुवानी गर्दा १० KVA देखि १५ KVA सम्म प्रति गोटा	प्रती कि.मी.	३३००१००	
६०	विभिन्न मेशिन भाडामा :			
	एक्स्काभेटर र ब्रेकर (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	५०८०१००	
	एक्स्काभेटर बकेट सहित (२२० एचपी सम्म), ईन्धन वाहेक	घण्टा	२३५०१००	
	डोजर (भाडामा), ईन्धन वाहेक	घण्टा	२४२०१००	
	लोडर (भाडामा), ईन्धन वाहेक	घण्टा	१६५०१००	
	रोलर (भाडामा), ईन्धन वाहेक	घण्टा	११००१००	
	ग्रेडर (भाडामा), ईन्धन वाहेक	घण्टा	२२००१००	
	मिक्स्चर मेशिनर (भाडामा)	दैनिक	४९५०१००	
	न्यूमेटिक रोलर	घण्टा	२७५०१००	
	डिस्ट्रीब्युटर बोइलर सहित	घण्टा	३८५०१००	
	कम्प्रेसर मेशिन	घण्टा	५५०१००	
	भाईब्रेटर मेशिन	घण्टा	९६५०	
	भाईब्रेटर मेशिन (with oil and Operator)	घण्टा	२७५१००	
	चिप्स स्प्रेय मेशिन	घण्टा	२२०१००	
	भाईब्रेटर रोलर मेशिन ८ देखि १० टन सम्म	घण्टा	२२००१००	
	जे.सि.वी मेसिन (ईन्धन सहित)	घण्टा	२०००१००	
६१	बिजुली सामान मानिस बाट दुवानी			
	बिजुली काठको पोल मानिस बाट दुवानी गर्दा प्रति पोल समतलमा ८ जना, पहाडमा १० जना को दरले	कोष /व्यक्ति	९६५१००	
	(क) स्तिल टयुबलर पोल ९ मिटर देखि ११ मिटर टेलिस्कोपिक पोल ९ मिटर देखि ११ मिटर मानिस बाट दुवानी गर्दा प्रति पोल समतलमा १० जना पहाडमा १२ जना को दरले	कोष /व्यक्ति	२२०१००	



फिक्कल गाउँपालीकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)	कैफियत
			बाहेक (रु.) आ.व.०७६/०७७	
	(ख) न देखि ११ मि. लामो द्युबल, टेलिस्कोपिक, ट्रिटेट काठको पोल लोड अनलोड	प्रती गोटा	१८११५०	
६२	मट्टीतेल, डिजेल, पट्रोल र लुब्रीकेन्ट	ली	नेपाल आ.नि.ले निर्धारण गरे बमोजिम हुने	
६३	बोटविरुवा तथा बनस्पती			
	खयरको बीउ	के.जी.	८८०१००	
	कालो सिरिस बीउ	के.जी.	८८०१००	
	सेतो सिरिस बीउ	के.जी.	११००१००	
	कदम बीउ	के.जी.	२२००१००	
	निम बीउ	के.जी.	५५०१००	
	च्युरी बीउ	के.जी.	५५०१००	
	दार/गिठी बीउ	के.जी.	६६००१००	
	लप्सी बीउ	के.जी.	८८०१००	
	कपुर बीउ	के.जी.	९९०१००	
	राजबृक्ष बीउ	के.जी.	८८०१००	
	सतिसाल बीउ	के.जी.	८८०१००	
	सिसौ बीउ	के.जी.	४४०१००	
	रुद्राक्ष बीउ	के.जी.	११००१००	
	मसाल बीउ	के.जी.	५५००१००	
	लाकुरी बीउ	के.जी.	२२००१००	
	कांगीयो बीउ	के.जी.	४४००१००	
	धुपी सल्लो बीउ	के.जी.	२७५०१००	
	ओखर बीउ	के.जी.	५५०१००	
	विजयसाल बीउ	के.जी.	६६०१००	
	रक्त चन्दन बीउ	के.जी.	११००१००	
	अशोक बीउ	के.जी.	५५०१००	
	गुल मोहर बीउ	के.जी.	५५०१००	
	अमला बीउ	के.जी.	३३०१००	
	खोटे सल्लो बीउ	के.जी.	१६५०१००	



फिक्कल गाउपालीकाको आ.व.०७६।०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व.०७६।०७७	
	गाबें सल्लो बीउ	के.जी.	१८७०।००	
	टिक बीउ	के.जी.	३३०।००	
	तामेवांस बीउ	के.जी.	१६५।००	
	धनुवांस बीउ	के.जी.	१६५।००	
	सेतो कोइरालो बीउ	के.जी.	५५।००	
	टांकी बीउ	के.जी.	५५।००	
	निगारो बीउ	के.जी.	३३०।००	
	चांप बीउ	के.जी.	८८०।००	
	पैयू बीउ	के.जी.	२७५।००	
	सिमल बीउ	के.जी.	१३२०।००	
	उतिस बीउ	के.जी.	३८५।००	
	तेजपात बीउ	के.जी.	८८०।००	
	कुरिलो	के.जी.	५५।००	
	हरो, बरो, अमला विरुवा	गोटा	१३२०	
	तेजपात विरुवा	गोटा	१८।७०	
	चिराईतो विरुवा	गोटा	११।००	
	अम्रिसो (राईजोम सहित) विरुवा	गोटा	४।४०	
	नेपियर विरुवा	गोटा	२।००	
	वन विरुवा	गोटा	११।००	
	पोलीट्युव २०० गग ३"×७"	के.जी.	३८५।००	
	पोलीट्युव २०० गग ४"×७"	के.जी.	४४०।००	
	वैश (Thumb Size) ०.५ मि. लम्बाई	गोटा	११।००	
	वैश कटिङ्ग ६ से.मि. Ø १.५ मि. लम्बाई	गोटा	३४।१०	
	आप आम्रपाली २ वर्ष	गोटा	७५।००	
	आप आम्रपाली ३ वर्ष	गोटा	१५।००	
	आप अन्य २ वर्ष	गोटा	४५।००	
	आप अन्य ३ वर्ष	गोटा	९०।००	
	लिचि २ वर्ष	गोटा	४०।००	
	कागती जुनार	गोटा	३५।००	
	अगरउड	गोटा	१८०।००	
	लोठ सल्ला	गोटा	१५।००	



पुनर्

पुनर्

पुनर्

फिक्कल गाउँपालिकाको आ.व.०७६/०७७ को स्थानिय दररेट

सि.नं.	कामदार तथा निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)	कैफियत
			आ.व.०७६/०७७	
	भुइँकटहर विशेष	गोटा	१२५१००	
	टिमुर	गोटा	६०१००	
	रुख कटहर, अम्बा	गोटा	६०१००	
	बास बिउबाट	गोटा	९०१००	
	अलैची	गोटा	१५१००	
	बास कटिड	गोटा	१५०१००	

पुनश्च :

- माथि उल्लेखित दररेटहरूमा भ्याट (मु.अ.क.) समावेश गरिएको छैन ।
- यसमा उल्लेख नभएका निर्माण सामग्रीहरूको दररेटको हकमा नियमानुसार प्रचलित बजार भाउलाई वा फेक्ट्री रेटलाई आधार मानी कम्तीमा तीन वटा दरभाउ लिइ सबैभन्दा कम लाई कायम गर्न सकिनेछ ।
- उपरोक्त निर्माण सामग्रीको दररेट सदरमुकाम सिन्धुलीलाई आधार मानी तय गरिएको छ । साथै सिन्धुली सदरमुकाम भन्दा कटारी बजार वा महेन्द्र राजमार्गबाट नजिक पर्ने योजना स्थल सम्म सामग्री ढुवानी गर्दा कटारी बजार वा महेन्द्र राजमार्गबाट ढुवानी देखाई दर विश्लेषण गर्नु पर्नेछ ।

पुनर्

पुनर्

पुनर्

पुनर्

पुनर्

Fikkal Rural Municipality Electrical Material Local Rate 2076/077

S.N	Particular	Unit	Rate
1	Skilled Labour	No	990.00
3	Labour	No	715.00
Lighting accessories			
1	20 Watt FTL rod	No	78.00
2	8 to 11 watt CFL lamp	No	225.00
3	13 to 22 watt CFL lamp	No	290.00
4	40 Watt FTL rod	No	78.00
5	40 Watt FTL ballast(Chowk)	No	250.00
6	150 Watt SV bulb	No	1260.00
7	250Watt SV bulb	No	1650.00
8	FTL Starter	No	18.00
9	Alluminium Listy	R.m.	435.00
10	PVC Listy 0.5"	pcs	30.00
11	PVC Listy 0.75"	pcs	45.00
12	PVC Listy 1"	pcs	65.00
13	PVC Listy 1.5"	pcs	125.00
14	PVC Listy 2"	pcs	140.00
15	Acralic Cover 2'x2'	No	960.00
3.1 Dyna/CPL Switch & Socket			
1	1gang one way Switch	No	54.00
2	1gang Two way Switch	No	62.00
3	1 Bell Push	No	54.00
4	2 gang Switch one way	No	92.00
5	3 gang Switch	No	118.00
6	4 gang Switch	No	144.00
7	6 gang Switch	No	236.00
8	8 gang Switch	No	282.00
9	16 Amp Switch Indicator	No	154.00
10	6 Amp Uni Socket Switch Combined With 20/25 Amp SP AC motor starter with 6/16 Amp Power socket	No	154.00
11	Dimmer Single 300 Watt	No	270.00
12	Dimmer Single 750 Watt	No	403.00
13	16/6 Amp Combined S/Socket With Shut	No	116.00
	16 Amp 3 pin Plug Top	No	81.00
14	DP Switch 16-32 Amp	No	146.00
15	Blanking Plate Single	No	36.00
16	Telephone Socket Single	No	106.00
17	Angle Holder	No	34.00
18	Ceiling Rose	No	34.00
19	Bottom Holder	No	34.00
20	Buzzer	No	94.00
21	Musical Bell	No	216.00
5.41 Panel Board & Accessories Pannel Board Doubled door type with locking arrangement with two coat of red oxide metal primer and final coats enamel paints with TPNE CU Busbar and Acc.			
1	60/75/100 Amp Panel Board 9"x36"x48"	Set	20790.00
2	60/100 Panel Board 12"x36"x48"	Set	24750.00
3	60/100 Panel Board 9"x48"x60"	Set	34650.00
4	60/100 Panel Board 12"x48"x60"	Set	41250.00
5	150/200 Panel Board 9"x38"x52"	Set	23100.00
6	150/200 Panel Board 12"x38"x52"	Set	23100.00
7	150/200 Panel Board 9"x42"x56"	Set	25724.00
8	250/300 Panel Board 12"x48"x60"	Set	33500.00
9	400 Amp Panel Board 12"x52"x66"	Set	39920.00
10	250/300 AMP 12"x52"x62"Size Panel Bo	Set	37501.00

7.39 Moulded Case Circuit Breaker (18 /50KA)

Siemens/marlingerin/GE or ISI made

S.N	Particular	Unit	Rate
2	Un skilled	No	715.00
2.3 Siemens Or North-West Switch and Socket			
1	1 gang Switch with Plate Set	Set	195.00
	1gang Two way Plate set	Set	222.00
2	2gang Switch with Plate Set	Set	276.00
3	3gang Switch with Plate Set	Set	393.00
4	4 gang Switch with Plate Set	Set	402.00
5	5 gang Switch with Plate Set	Set	0.00
6	6 gang Switch with Plate Set	Set	427.00
7	T.V Socket With Plate	Set	197.00
8	T.P. Socket With Plate	Set	197.00
9	Bell Push with Plate	Set	239.00
10	5 Amp socket with plate	Set	248.00
11	15 Amp socket with plate	Set	317.00
12	13Amp flat socket with plate	Set	322.00
4.2 Switch Gears (ISI) Mark			
1	16 Amp 415 Volt DP Main Switch S rewireab	No	335.00
2	32 Amp 415 Volt DP Main Switch S rewireab	No	850.00
3	63 Amp 415 Volt DP Main Switch S rewireab	No	2300.00
4	100 Amp 415 Volt DP Main Switch rewireable	No	4400.00
5	16 Amp 415 Volt DP Main Switch HRC	No	990.00
6	32 Amp 415 Volt DP Main Switch HRC	No	1430.00
7	63Amp 415 Volt DP Main Switch HRC	No	3190.00
8	100 Amp 415 Volt DP Main Switch HRC	No	6150.00
9	200 Amp 415 Volt DP Main Switch HRC	No	8850.00
10	16 Amp 415 Volt TP Main Switch HRC	No	1230.00
11	32 Amp 415 Volt TP Main Switch HRC	No	1760.00
12	63 Amp 415 Volt TP Main Switch HRC	No	4930.00
13	100 Amp 415 Volt TP Main Switch HRC	No	7040.00
14	200 Amp 415 Volt TP Switch HRC	No	9790.00
15	300 Amp 415 Volt TP Switch HRC	No	12540.00
16	400 Amp 415 Volt TP Switch HRC	No	17600.00
17	16 Amp 415 Volt Change over Switch	No	500.00
18	32 Amp 415 Volt Change over Switch	No	1250.00
19	63 Amp 415 Volt Change over Switch	No	3200.00
20	100 Amp 415 Volt Change over Switch	No	9360.00
21	200 Amp 415 Volt Change over Switch	No	17680.00
22	300 Amp 415 Volt Change over Switch	No	12012.00
23	63 Amp Bus Bar Chamber	No	2737.00
24	100 Amp Bus Bar Chamber	No	4187.00
25	200 Amp Bus Bar Chamber	No	5160.00
26	300 Amp Bus Bar Chamber	No	6232.00
6 Seimens / North West Box			
1	1 gang box	No	50.00
2	2 gang box	No	50.00
3	3 gang box	No	54.00
4	4 gang box	No	66.00
5	5 gang box	No	130.00
6	6 gang box	No	132.00
7	TV socket box	No	50.00
8	Telephone socket box	No	50.00
9	5/15 Amp Power socket box	No	50.00



076-77 Local Rate fikkal (1)

Fikkal Rural Municipality Electrical Material Local Rate 2076/077

S.N	Particular	Unit	Rate
3	20/32 Amp MCCB (40KA)	Set	0.00
4	125 Amp MCCB	Set	8000.00
5	160Amp MCCB	Set	9500.00
6	200 Amp MCCB	Set	20500.00
7	400 Amp MCCB	Set	34500.00
8	630 Amps MCCB	Set	47000.00
General			
11	Voltmeter (0- 500)	Set	993.00
12	Amp Meter (0-500)	Set	950.00
13	Indicator	Set	230.00
14	Selector Switch	Set	690.00
15	60/100 Amp C.T.Coil set(3pcs)	Set	1390.00
16	150/200 Amp C.T.Coil set(3pcs)	Set	1730.00
17	Energy Meter SP	Set	2205.00
18	Energy Meter 3 Phase	Set	9930.00
9.4/5 Join Box Metal / PVC			
1	4" x 4" Junction Box Metal	No	97.00
2	4" x 6" Junction Box Metal	No	145.00
3	6" x 8" Junction Box Metal	No	230.00
4	8" x 10" Junction Box Metal	No	339.00
5	8" x 12" Junction Box Metal	No	339.00
6	4" x 4" Junction Box PVC	No	30.00
7	4" x 6" Junction Box PVC	No	30.00
8	6" x 8" Junction Box PVC	No	45.00
9	8" x 10" Junction Box PVC	No	65.00

11.15 Fan: Orient, Bajaj, Crompton Or Equ.			
1	36" Ceiling Fan	Set	2100.00
2	42" Ceiling Fan	Set	2200.00
3	48" Ceiling Fan	Set	2250.00
4	56" Ceiling Fan	Set	2500.00
5	16" Wall Fan	Set	2750.00
6	6" Exhaust fan	Set	1450.00
6	9" Exhaust Fan	Set	1750.00
7	12" Exhaust Fan	Set	2500.00

14.16 General Fittings.			
1	Dome light 6" Decorative	Set	175.00
2	Dome light 6" Decorative Brace	Set	715.00
3	Dome light 8" Decorative	Set	220.00
4	Dome light 8" Decorative Brace	Set	850.00
5	1x11/13 W CFL Down Light(Conceal Light)	Set	940.00
6	Wall Bracket/Spot Light/Mirror Light (ordinary)		225.00
7	Bulk head Single Direct Ord. Decon	Set	350.00
8	Wall Bracket/Spot Light/Mirror Light best quality Homedec,Decon or ISI eqv.	Set	800.00
9	Dome light 8" Silver Cast Milky Base Decorative set Homedec,DECON or ISI Eqv.	Set	1075.00
	Dome light 8" Black Cast Milky Base Decorative set Homedec,DECON or ISI		

S.N	Particular	Unit	Rate
2	6-32 Amp DP MCB	No	600.00
3	6-32 Amp TP MCB	No	1070.00
4	6-32 Amp TPN MCB	No	1450.00
5	40-60 Amp SP MCB	No	0.00
6	40-60 Amp DP MCB	No	950.00
7	40-60 Amp TP MCB	No	1350.00
8	40-60 Amp TPN MCB	No	1800.00
9	4 Way SPN DB Double Cover	No	1050.00
10	6 Way SPN DB Double Cover	No	1102.00
11	8 Way SPN DB Double Cover	No	1374.00
12	12 Way SPN DB Double Cover	No	1630.00
13	16 Way SPN DB Double Cover	No	1742.00
14	3/4 Way TPN DB Double Cover	No	2590.00
15	6 Way TPN DB Double Cover	No	2910.00
16	8 Way TPN DB Double Cover	No	5630.00
	50 Pair Telephone DB with Crown tag	No	5287.00
17	1 Pole PVC MCB Box	No	78.00
18	2Pole PVC MCB Box.	No	78.00
19	4 Pole PVC MCB Box	No	126.00

10.19 Steel Tubular/Wood Pole			
1	9 Meter Steel Tubular Pole (Bottom 134mm dia,3300mm ht,155mm dia 2250mm ht,90mm dia 2250 ht and 76mm dia 1650mm ht with over lapping of 200mm,150mm,100mm respectively)	No	12600.00
2	7 Meter Steel Tubular Pole (Bottom 115mm dia,3300mm ht,90mm dia 2400mm ht, and 76mm dia 1650mm ht with over lapping of 200mm,150mm,100mm respectively)	No	11706.00
3	7 Meter Steel Tubular Pole (Bottom 115mm dia,3100mm ht,90mm dia 2300mm ht, and 76mm dia 1600mm ht with WELDED joints.	No	12120.00

12.18 Roma/Appolo Bell Indicator			
1	4 way Indicator With Bell	Rm	1219.00
2	6 way Indicator With Bell	Rm	1990.00
3	8 way Indicator With Bell	Rm	2768.00
4	12 way Indicator With Bell	Rm	4267.00

13.23 Cable /Wire Nepal Cable, Prakash Cable or NS			
1	1/18 PVC Copper Wire Nepal, Prakash	Rm	10.22
2	3/22 PVC Copper Wire Nepal, Prakash	Rm	12.22
3	3/20 PVC Copper Wire Nepal, Prakash	Rm	19.44
4	7/22 PVC Copper Wire Nepal, Prakash	Rm	27.22
5	7/20 PVC Copper Wire Nepal, Prakash	Rm	44.44
6	7/18 PVC Copper Wire Nepal, Prakash	Rm	70.00
7	7/16 PVC Copper Wire Nepal, Prakash	Rm	144.44

Multistrand Flexible wire(1 coil=90.00Meter)			
1	1.0mm2 PVC insulated copper wire	Rm	12.22

Fikkal Rural Municipality Electrical Material Local Rate 2076/077

S.N	Particular	Unit	Rate
12	Bollard Graden light Full size Homedec, DECON or ISI eqv.	Set	3375.00
13	8" Globe type Post top lamp complete set Homedec, DECON or ISI eqv..	Set	1375.00
14	10" Globe type Post top lamp complete set Homedec, DECON or ISI eqv..	Set	2625.00
15	Exit Light safty sign	Set	800.00
16	Dinning Lamp Decorative Med	Set	1650.00
17	Chandlers Lamp 3-5 Lamp Med	Set	10450.00
18	Chandlers Lamp 6-8 Lamp Med	Set	14650.00
19	IS: 3043 Copper Plate 80x80x3.15(18kg)	Set	16020.00
20	IS: 3043 Copper Plate 65x65x3.15(11.88 Kg)	Set	10573.00
21	S.W.G.No.8 Bare Copper Wire.	Rm	140.00
22	100 Watt Bulb(ISI)	Set	25.00
23	25*3 mm Copper Strip(60"=1kg appox)	Kg	1050
24	20*3 mm Copper Strip(65"=1kg appox)	Kg	1050
25	12*3 mm Copper Strip(118"=1kg appox)	Kg	1050
26	Lightning Rod copper conductor Air Termination Set	No	2650.00
27	29mm dia GI pipe of 1m length	Rm	245.00
28	30cm*30cm Cast iron cover for water pouring into pit	No	600.00
29	charcol	bag	300.00
30	Salt	Kg	12

19.29 Power Cable Copper Conductor Un- Armored Nepal Cable, Prakash, Or NS

1	4mm ² 4 core Nepal ,Prakash Or NS	Rm	245.00
2	6mm ² 4 core Nepal ,Prakash Or NS	Rm	340.00
3	10mm ² 4 core Nepal ,Prakash Or NS	Rm	540.00
4	16mm ² 4 core Nepal ,Prakash Or NS	Rm	820.00
5	25mm ² 4 core Nepal ,Prakash Or NS	Rm	1280.00
6	35mm ² 4 core Nepal ,Prakash Or NS	Rm	1720.00
7	50mm ² 4 core Nepal ,Prakash Or NS	Rm	2400.00
8	95mm ² 4 core Nepal ,Prakash Or NS	Rm	4550.00

Transformer (11/0.4KV or 0.4/11 KV 3 phase, 50 Hz.) And Accessories

1	100 KVA Oil cooling 3phase Transformer	Set	420000.00
2	150 KVA Oil cooling 3Phase Transformer	Set	550000.00
3	200 KVA Oil cooling 3PhaseTransformer	Set	640000.00
4	250 KVA Oil cooling 3Phase Transformer	Set	780000.00
5	300 KVA Transformer	Set	925000.00
6	400 KVA Transformer	Set	1000000.00
7	25 KVA Transformer	Set	225000.00
8	50 KVA Transformer	Set	300000.00
9	Out Door Type Cable Head	Set	24200.00
10	11 KVA Drop out Fuse	Set	18513.00
11	Lighting Arrester	Set	4200.00
12	Earthing Set	Set	4080.00
13	Pin Insulator	Set	180.00
14	35mm ² Cable Socket	Set	202.00
15	Transfermer Tower Set With Clamp Nut	set	15000.00
16	H.T.Tape	Set	867.00
17	3core AL/XL Cable 35 sq.mm	Set	1481.00
18	Chain	Rm	50.00

22.00 ORANT SWITCHES European Technology

1	One gang one way switch.	Set	112.00
2	One gang two way switch.	Set	128.00

S.N	Particular	Unit	Rate
4	4.0mm2 PVC insulated copper wire	Rm	42.22
5	6.0mm2 PVC insulated copper wire	Rm	66.67
6	10.0mm2PVC insulated copper wire	Rm	111.11
15.28 Power Cable Copper Conductor Armored Nepal			
1	4mm ² 4 core Nepal ,Prakash Or NS	R.m	310.00
2	6mm ² 4 core Nepal ,Prakash Or NS	R.m	400.00
3	10mm ² 4 core Nepal ,Prakash Or NS	R.m	600.00
4	16mm ² 4 core Nepal ,Prakash Or NS	R.m	875.00
5	25mm ² 4 core Nepal ,Prakash Or NS	R.m	1300.00
6	35mm ² 4 core Nepal ,Prakash Or NS	R.m	1750.00
7	50mm ² 4 core Nepal ,Prakash Or NS	R.m	2500.00
8	4mm ² 2 core Nepal ,Prakash Or NS	R.m	185.00
9	6mm ² 2 core Nepal ,Prakash Or NS	R.m	240.00
10	10mm ² 2 core Nepal ,Prakash Or NS	R.m	360.00
11	16mm ² 2 core Nepal ,Prakash Or NS	R.m	480.00

16.25 Cable Shoe

1	16 sq mm Cable Shoe	No	60.00
2	25 sq mm Cable Shoe	No	78.00
3	95 sq mm Cable Shoe	No	135.00
4	150 Sq mm Cable Shoe	No	203.00

17.20 Decorative Wall Brackets

1	Decorative Wall Bracke SL Fancy Type	No	
2	Decorative Wall Bracke Sigle Wallite	No	
3	Decorative Wall Bracke Single Vertile	No	

18.20 FTL Patti Wipro, G.E.etc.

1	1x20 FTL Patti	Set	450.00
2	1x40 FTL Patti	Set	752.00
3	1x20 FTL Mirrolta	Set	850.00
4	1x40 FTL Mirrolta	Set	990.00
5	2*18 watt CFL recessed / surface mounting mirror optic	Set	2600.00
6	1*11 watt CFL mirror optic	Set	1780.00
7	1x40 FTL Box Fitting	Set	1125.00
8	2x40 FTL Box Fitting	Set	1700.00
9	1x40 FTLIndustrial Channel With Stove	Set	1730.00
10	Enammelled 2x40 FTL Industrial Channel With Stove	Set	2220.00
11	Enammelled 1x40 FTL Opalite With Opal Acrylic	Set	1800.00
12	Diffuser 2x40 FTL Opalite With Opal Acrylic	Set	3000.00
13	Diffuser 4x18/20 FTL With Dished Opal Acrylic	Set	5252.00
14	Cover 1x40 FTL Mirror Optic Slim Flat light	Set	3450.00
15	2x40 FTL Mirror Optic Slim Flat light	Set	4200.00
16	2x40 FTL Mirror Optic Slim Flat light	Set	1500.00

Fikkal Rural Municipality Electrical Material Local Rate 2076/077

S.N	Particular	Unit	Rate
7	13 Amp Round Flat Switch Socket.	Set	350.00
8	Two Switch + Socket.	Set	288.00
9	TV Socket Single.	Set	248.00
10	Telephone Socket Single	Set	378.00
11	RJ 45 Computer socket	Set	540.80
12	20 Amp heavy load switch with indicator	Set	950.00
13	16 Amp big button switch Socket.	Set	688.00
14	Bell push 6 Amp(Net West)	Set	176.00
15	Socket 16 A & 6 A- 6 pin(shutter- Net West)	Set	169.00
16	One gang module plate	Set	304.00
17	Two gang module plate	Set	360.00
18	Three gang module plate	Set	554.00
19	Four gang module plate	Set	694.00
20	Dimmer 300 /500 watt.	Set	1096.00
21	4 Way single phaseDB double door.	Set	1450.00
22	4 Way single phase DB Single door.	Set	810.00
23	12 Way single phase DB Double Door.	Set	2280.00
24	12 Way single phase DB Single Door.	Set	1300.00
25	4 WayThree phaseDB double door.	Set	3200.00
26	4 WayThree phaseDBSingle door.	Set	2220.00
27	6 WayThree phaseDB Double door.	Set	3960.00
28	6 WayThree phaseDB Single door.	Set	2660.00
29	1x40 Box Type Tube Light. Orant lighting	Set	1050.00
30	2x40 Box Type Tube Light. Orant lighting	Set	1650.00
31	1x40 Mirror Optic Tube Light. Orant lighting	Set	3600.00
32	2x40 Mirror Optic Tube Light. Orant lighting	Set	4200.00
33	3x36 CFL concil/surface.Orant Light	Set	6000.00
34	250 Watt MHL set.Orant Light	Set	10500.00
35	3 Watt to 13 Watt PL Orant Tube	Set	250.00
36	60 Amp MCCB Tengen	Set	5400.00
37	100 Amp MCCB Tengen	Set	6800.00
38	200 Amp MCCB Tengen	Set	14500.00
39	300 Amp MCCB Tengen	Set	24500.00
General Lighting Anchor,C/G eqv.			
1	1x40 Watt FTL Patti Fitting	Set	245.00
2	1x20 Watt FTL Patti Fitting	Set	225.00
3	1x40 Watt FTL Box Fitting	Set	415.00
4	1x20 Watt FTL Box Fitting	Set	405.00
5	9/11 Watt mini mirror light with electronic Blast suitable for PL Lamp	Set	345.00
CCTV System			
1	outdoor high speed Dome integrated CAMERA multi protocol,480 TVL,128 preset points, Automatic surveillance,360		
i	CANON Integrated camera chip,norml colour,23 times optical Zoom, 10 times digital Zoom	Set	55000.00
ii	CANON Integrated camera chip,Day & Night,23 times optical Zoom, 10 times digital Zoom	Set	57200.00
2	Indoor high speed Dome integrated CEMERA		

S.N	Particular	Unit	Rate
21.24 Telephone Drop Wire / Pair Cable			
1	2/20 Tel wire	Coil	960.00
2	2/22 Tel wire	Coil	650.00
3	2Pair Tel (2x2x0.45) mm	Rm	13.00
4	3Pair Tel (3x2x0.45) mm	Rm	19.00
5	5Pair Tel (5x2x0.45) mm	Rm	31.00
6	10Pair Tel (10x2x0.45) mm	Rm	60.00
7	15Pair Tel (15x2x0.45) mm	Rm	88.00
8.12/13 MCB 10KA simens,MarlinGerlin,GE or ISI eqv.			
1	6-32 Amp SP MCB	No	171.20
2	6-32 Amp DP MCB	No	749.00
3	6-32 Amp TP MCB	No	1070.00
4	6-32 Amp TPN MCB	No	1926.00
5	40Amp DP MCB	No	963.00
6	63 Amp DP MCB	No	963.00
7	40Amp TP MCB	No	1471.25
8	50 Amp TP MCB	No	1471.25
9	63 Amp TP MCB	No	1471.25
Distribution Board 3 Phase double door system with			
1	4 wayTPN DB 14"x16"x5"	set	2585.00
2	6 wayTPN DB 16"x18"x5"	set	3465.00
3	8 wayTPN DB 18"x20"x5"	set	4335.00
4	10 wayTPN DB 20"x22"x5"	set	5300.00
5	12 wayTPN DB 22"x24"x5"	set	5775.00
6	14-16 wayTPN DB 24"x26"x5"	set	7500.00
Air conditioning system, Daikin,Toshiba,Fujitsu,Stulz or eqv Japanees co.			
0.75 TR capcity wall mounted spilt type			
1	Air Conditioning System	Set	-
1.00 TR capcity wall mounted spilt type			
2	Air Conditioning System	Set	-
1.50 TR capcity wall mounted spilt type			
3	Air Conditioning System	Set	-
2.00 TR capcity wall mounted spilt type			
4	Air Conditioning System	Set	-
1.00 TR capcityceilling cassette spilt type			
5	Air Conditioning System	Set	-
1.50 TR capcityceilling cassette spilt type			
6	Air Conditioning System	Set	-
2.00 TR capcityceilling cassette spilt type			
7	Air Conditioning System	Set	-
2.50 TR capcityceilling cassette spilt type			
8	Air Conditioning System	Set	-
4.00 TR capcityceilling cassette spilt type			
9	Air Conditioning System	Set	-
Air conditioning system, McQuay,Midea,Fujiaire,Malaysian			
0.75 TR capcity wall mounted spilt type			
1	Air Conditioning System	Set	-
1.00 TR capcity wall mounted spilt type			
2	Air Conditioning System	Set	-
1.50 TR capcity wall mounted spilt type			
3	Air Conditioning System	Set	-
2.00 TR capcity wall mounted spilt type			
4	Air Conditioning System	Set	-
4.00 TR capcity wall mounted spilt type			
5	Air Conditioning System	Set	-
1.50 TR capcityceilling cassette spilt type			
6	Air Conditioning System	Set	-
2.00 TR capcityceilling cassette spilt type			

Fikkal Rural Municipality Electrical Material Local Rate 2076/077

S.N	Particular	Unit	Rate
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital Zoom	Set	52800.00
ii	CANON Integrated camera chip, Day & Night, 23 times optical Zoom, 10 times digital Zoom	Set	55000.00
3	VISTA BOX CAMERA with adopter, IR view distance 25mm Mirror shutter, with mirror image switchable, white balance, auto, Horizontal resolution, 480 TV line, System signal, NTSC/PAL Blacklight compression : ON/OFF (Switchable), AGC, ON/OFF Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital Zoom	Set	15000.00
4	7" spherical shielded with bracket included chip Excluded Camera	Set	8120.00
5	8 Channel DVR MJPEG compression type 8 channel input 2 channel output USB 2.0 interface, Hard Disc > 200 G, Multi Record, Motion Detector Function Remote control	Set	33000.00
6	16 Channel alarm input 16 channel record 8 channel alarm output internet explore, MPG-4 Record	Set	49500.00
7	17" LCD monitor Samsung or Korean EQV	Set	10500.00
	Switch, Socket Outlet, Plate Series with suitable box size, ORANGE, CLIPSAL, Legrand or Eqv.		
1	10A 1 gang 1 way switch.	Set	81.00
2	10A 2 gang 1 way switch.	Set	158.00
3	10A 3 gang 1 way switch.	Set	210.00
4	10A 4 gang 1 way switch.	Set	340.00
5	10A 5 gang 1 way switch.	Set	360.00
6	10A 6 gang 1 way switch.	Set	599.00
7	10A 1 gang 2 way switch.	Set	140.00
8	10A 2 gang 2 way switch.	Set	270.00
9	10A 3 gang 2 way switch.	Set	395.00
10	10A 4 gang 2 way switch.	Set	595.00
11	TV Socket.	Set	290.00
12	Telephone Socket.	Set	260.00
13	13A Socket.	Set	265.00
14	15A Switched Socket.	Set	430.00
15	5A Socket.	Set	330.00
Philips Lights			
1	1x20 FTL Patti	Set	644.00
2	1x40 FTL Patti	Set	726.00
3	1x20 FTL Mirrolta TMS205/120 LPF	Set	968.00

S.N	Particular	Unit	Rate
8	3.00 TR capacity ceiling cassette split type Air Conditioning System	Set	-
9	4.00 TR capacity ceiling cassette split type Air Conditioning System		-
1	3*36 W CFL 4 Pin low glare fixture comp	Set	6625.00
2	250 Amp MCCB 40 KA Siemens/GE	Set	21538.00
3	300 Amp MCCB 40 KA Siemens/GE	Set	28600.00
4	35 Sq.mm Cable Shoe.	Set	60.00
5	50 Sq.mm Cable Shoe.	Set	71.00
6	70 Sq.mm Cable Shoe.	Set	87.00
7	4 Core 70 Sq.mm Copper Un armoured	Rm	3350.00
8	20 Pair Telephone cable (20*2*0.45)mm	Rm	116.00
9	Stay Set.	Set	750.00
10	Stay Wire.	kg	150.00
11	Disc Insulator	Set	960.00
ABC Cable			
	25 Sq mm 4 core aluminium ABC Cable.	Rm	150.00
	50 Sq mm 4 core aluminium ABC Cable.	Rm	250.00
	95 Sq mm 4 core aluminium ABC Cable.	Rm	490.00
Down Light Fiam Make			
278	FDL004SMD7W(120*90) Taiwan chip	set	1260.00
279	FDL004SMD15W(175*90) Taiwan chip	set	2745.00
280	FDL004SMD30W(200mm) Taiwan chip	set	4943.00
281	FDL012COB15W(140mm) Taiwan chip	set	4943.00
282	FDL012COB25W(175mm) Taiwan chip	set	6589.00



076-77 Local Rate fikkal (1)

Fikkal Rural Municipality Electrical Material Local Rate 2076/077

S.N	Particular	Unit	Rate
4	1x40 FTL Mirrolta TMS205/140 LPF	Set	1089.00
5	2*18 watt FTL recessed / surface mounting mirror optic	Set	2838.00
6	1*11 watt CFL mirror optic	Set	2200.00
7	1x40 FTL Box Fitting TMC 501/136 HPF	Set	1364.00
8	2x40 FTL Box Fitting TMC 501/236 HPF	Set	1980.00
9	1x40 FTL Industrial Channel With Stove Enammelld TKC 203/136 HPF	Set	2349.00
10	2x40 FTL Industrial Channel With Stove Enammelld TKC202/236	Set	2970.00
11	1x40 FTL Opalite With Opal Acrylic TCS 19/136 HPF	Set	2189.00
12	2x40 FTL Opalite With Opal Acrylic Diffuser TCS19/236	Set	3355.00
13	4x20 FTL mirror optic TBS 088/418 HPF	Set	4692.00
14	1x40 FTL Mirror Optic TCS 306/136 HPF	Set	3724.00
15	2x40 FTL Mirror Optic TCS 306/236 HPF	Set	4483.00
16	3x36 CFL Paralite P 5-FBS 300/336 HPF	Set	9350.00
17	300/500 Halogen Light Set	Set	1958.00
18	1000 Halogen Light Set	Set	3795.00
19	150 Watt HPSV Lamp	Set	9955.00
20	250 Watt HPSV Lamp	Set	13970.00

S.N	Particular	Unit	Rate
283	FDL012COB30W(200mm) Taiwan chip	set	8236.00
284	FDL007SMD24W(195*175) Taiwan chip	set	7412.00
285	FDL005SMD12W(165mm) Taiwan chip	set	1646.0
Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m³)			
a	Copper plate	के.जी	890
b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1050
c	Copper Strip (20mm breadth x 3mm thick)	के.जी	1050
d	Copper Strip (12 x 3)mm	के.जी	1050
e	Lightining rod copper conductor Air termination set	गोटा	2650
f	8 SWG bare copper wire	र. मी	140
g	29 mm Diameter GI Pipe of 1m length	र. मी	245
h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	600
i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15
j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	190
k	Funnel with wire mesh	गोटा	350
l	Charcoal	व्याग	300
m	Salt	के.जी	12

Solar component		
1	Solar PV Module	Per watt 119
2	Solar Tubular Battery (200Ah@c20,12v)	Nos 28900
3	Solar Tubular Battery (150 Ah@c20,12v)	Nos 22100
4	Solar Tubular Battery (100 Ah@c20,12v)	Nos 15300
5	Tubular Gel @ C10-80AH Batery	Nos 29000
6	Tubular Gel @ C10-100AH Batery	Nos 30000
7	Lithium Ion 60-AH	Nos 40000
8	Lithium Ion 75-AH	Nos 45000
9	Solar Gel Battery (100 Ah@c20,12v)	Nos 30940
10	Solar Gel Battery (75 Ah@c20,12v)	Nos 23630
11	Solar Gel Battery (40 Ah@c20,12v)	Nos 13600
12	Charge controller (60Ah/24V)	Nos 30600
13	Charge controller 45Ah/12-24-48 V	Nos 22525
14	Charge controller 10a/12-24 V	Nos 2550
15	Charge controller 20a/12-24 V	Nos 3825
16	40 watt solar street light	Nos 13600
17	30 watt LED Lamp solar street light Without autodimming	Nos 8000
18	40watt LED Lamp solar street light Without autodimming	Nos 9000
19	20 watt solar street light	Nos 8160
20	12 watt solar street light	Nos 5270
21	Pure sine wave inverter 250 VA /12 V	Nos 6800
22	Pure sine wave inverter 400 VA /12 V	Nos 12750
23	pure sine wave inverter 1400 VA	nos 22100
24	Ms light Arms	Set 2125
25	SPV mountaining frame	set 5525
26	Battery box	Set 4250
27	Battery stand	Set 4250
28	Pure sine wave solar hybrid 3000 VA Inverter with inbuilt 50A Charge controller	Set 65000
29	Pure sine wave solar hybrid 5000 VA Inverter with inbuilt 50A Charge controller	Set 130000
	12Ampere Charge controler with Dusk	

Material Rate of Sanitary Works in Pikkal Rural Municipality

S.N	Description of Material	Per Unit	076/77	
1	Skilled Labour Masson			
2	Skilled Labour Plumber	day	990.00	
3	Un skilled Labour	day	990.00	
4	P or S trap.	day	715.00	
5	White glazed footrest	No	590.00	
6	32 mm pvc bottle trap	No	399.00	
7	Waste coupling 32mm	No	454.00	
8	1.5cm (1/2") dia.CP Sink cock	No	393.00	
9	10.0 ltr.porcelain clay low level flushing cistern complete accessories	No	1483.00	
10	10.0 ltr.PVC low level flushing cistern complete accessories	Set	3390.66	
11	32mmx60mm size flushing CP pipe	Set	1880.00	
12	1.5x45 cm(1/2" x18") PVC pipe connector	No	474.00	
13	Bracket	No	140.00	
		No	135.00	
14	580 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica, cera or equivalent	No	2456.00	
15	580 mm Porcelain clay white glazed indian Pan (Hindustan, Parryware, Classica, cera or equivalent)	No	1049.00	
16	530 mm Porcelain clay white glaze Orissa Pan (Hindustan, Parryware, Classica,cera or equivalent)	No	2524.00	
17	Porcelain clay white glaze Indian Pattern Comode (Hindustan, Parryware, Classica, cera or equivalent) regular	Set	1587.00	
18	Porcelain clay first colour glaze Indian Pattern Comode , cistern, seat cover all complete set (Hindustan, Parryware, Classica, cera or equivalent) Constellation type,	Set	8656.00	
19	Porcelain clay white glaze Indian Pattern Comode all complete set(Hindustan, Parryware, Classica, cera or equivalent) Constellation type, cascade type	Set	18119.00	
20	6/3 ltr.porcelain clay low level dual flushing cistern complete accessories,Constellation	Set	3185.00	
21	Bakelite toilet seat cover premium	Set	270.00	
22	Porcelain clay white glaze European Pattern Comode with cistern ,seat cover One piec	Set	28875.00	
23	Porcelain clay white glaze European Pattern Comode with cistern ,seat cover Two piec	Set	13437.00	
24	55x40cm Porcelain clay Oval white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	Set	1481.00	
25	a .55x40cm Porcelain clay Oval white glaze Wash basin with semi pedestal	Set	7178.00	
26	75x50cm Porcelain clay Oval white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	Set	6232.00	
27				
28	15 mm CP basin mixer jaquar,nova , Ark or equivalent	Set	3891.00	
29	Porcelain clay white glaze Semi Pedestal (Hindustan, Parryware, Classica, cera or equ	Set	1670.00	
30	55x40cm Porcelain clay white glaze Wash basin (Hindustan, Parryware, Classica, cera or equivalent) regular	No	1481.00	
31	55x40cm Porcelain clay first color glazed Wash basin (Hindustan, Parryware, Classica, cera or equivalent) constallation type with pedestal.	No	3990.00	
32	Porcelain clay white glaze Pedestal for wash basin (Hindustan, Parryware, Classica, cera or equivalent)		1378.00	
33	40x40cm Porcelain clay white glaze Corner Wash basin (Hindustan, Parryware, Classica, cera or equivalent)	No	1201.00	
34	45x30x15 Cm (18"x12"x6") White glaze sink with C I bracket (Hindustan, Parryware, Classica, cera or equivalent)	Set	1575.00	
35	53x43x18 (21"x17"x7") White glaze sink with C I bracket (Hindustan, Parryware, Classica, cera or equivalent)	Set	2117.00	

Material Rate of Sanitary Works in Pikkal Rural Municipality

076-77 Local Rate fikkal (1)

S.N	Description of Material	Per Unit	076/77	
37	Small Flat back White glazed urinal with bracket, Constellation type, cascade type.			
38	Small Flat back First color glazed urinal with bracket, Constellation type, cascade type.		1791.00	
39	46.5x35.5x26.5 cm White glaze flat back Urinal (Hindustan, Parryware, Classica, cera or equivalent)		8640.00	
40	61x41x38 cm Large Flat back White glazed urinal with bracket (Hindustan, Parryware, Classica, cera or equivalent.)	Set	1880.00	
41	1½" Ø C.P. bottle trap including 1½" Ø PVC. waste coupling.	Set	4174.00	
42	17"X14"X13 White glaze Angle back Urinal (Hindustan)	No	1717.00	
43	23"X14" White glaze squatting plate urinal (Hindustan or equivalent)	No	1619.00	
44	68X30 cm White glaze Division plate urinal Partation (Hindustan or equivalent)	No	1212.00	
45	300 ltr with 3 panel solar water heater	No	1690.00	
46	1000ltrs net capacity stainless steel water tank with Inlet, outlet, over flow, cleanout hole etc.17 GUAGE	Set	49376.00	
47	1500ltrs net capacity stainless steel tank with Inlet, outlet, over flow, cleanout hole etc.17 GUAGE	No	17655.00	
48	2000 ltrs net capacity stainless steel tank with Inlet, outlet, over flow, cleanout hole etc.17 GUAGE	No	25088.00	
49	5000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	34510.00	
50	1000Ltr. PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	55000.00	
51	500 ltr PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	11000.00	
52	2000 Ltr.PVC water tank with Inlet, outlet, over flow, cleanout hole etc.	No	5500.00	
53	1 HP Chinese pump	No	22000.00	
54	1 HP Chinese submersible pump	No	3270.00	
55	1.0 H P Electric motor pump (Submersible) Italian or equivalent	No	9240.00	
56	0.5 H P Electric motor pump with base plate nuts, bolts etc.set crompton	No	26089.00	
57	1.0 H P Electric motor pump with base plate nuts,bolts,etc.set	No	6258.00	
58	1 H P Electric motor pump with base plate nuts, bolts etc.set multi crompton	No	9465.00	
59	2 H P Electricmotor pump with base plate nuts, bolts etc.set crompton	No	14258.00	
60	3 H P Electricmotor pump with base plate nuts, bolts etc.set crompton	No	22587.00	
61	5 H P Electricmotor pump with base plate nuts, bolts etc.set crompton	No	23153.00	
62	White glaze toilet paper holder (Recessed type)-Cotto	No	28656.00	
63	White glaze toilet paper holder	No	1103.00	
64	Chrome plate toilet paper holder	No	1157.00	
65	Stainless steel liquid soap container (cotto)	No	473.00	
66	White glaze soap tray	No	5948.00	
67	Stainless steel towel rod 1.5x45cm (½"x 18.")	No	661.00	
68	C.P Soap dish	No	1216.00	
69	C P Towel rod	No	473.00	
70	C P Towel rod	No	525.00	
71	C P Guard rail with glass	No	510.00	
72	Porceline clay shelf rack type	No	630.00	
73	Bevelled edge looking mirror	No	3653.00	
74	Looking Mirror Modi guard 450x600mm (18"x 24")	No	600.00	
75	73 mm Ms Seamless Pipes SCH 40	No	1431.00	
76	101.6 mm Ms Seamless Pipes SCH 40	No	1895.00	
77	7.5cm dia shower rose fancy type with 30cm c p rod	No	3205.00	
78	Stainless Steel Shower rose with sliding bar complete set.	No	840.00	

Material Rate of Sanitary Works in Pikkal Rural Municipality

076-77 Local Rate fikkal (1)

S.N	Description of Material	Per Unit	076/77	
80	C.P Flush valve Eurorpean pattern			
81	15mm fancy type bib cock heavy type	No	5009.00	
82	15mm dia Stainless steel bib cock	No	952.00	
83	15mm fancy type angle valve	No	4216.00	
84	15mm Auto closing bib cock with aerator	No	1153.00	
85	15mm Urinal Auto closing Valve with built in control cock	No	2420.00	
86	Water spray (Health faucet) with 1.2 m. long flexible pipe.	No	2497.00	
87	sensor valve for urinal	Set	1092.00	
88	15mm Stainles steel angle valve	No	10147.00	
89	15mm two way angle valve, jaquar, essco, or equivalent	No	788.00	
90	CP Piller Cock good	No	1103.00	
91	15 mm dia stainless steel Piller Cock	No	1234.00	
92	15mm CP concealed stop cock	No	4216.00	
		No	1675.00	
93	15mm gate valve			
94	20 mm gate valve	No	801.71	
95	25mm gate valve	No	998.41	
96	32 mm gate valve	No	1607.54	
97	40mm gate valve	No	2293.54	
98	50 mm gate valve	No	2888.62	
99	65 mm gate valve	No	4599.47	
100	80 mm gate valve	No	9508.88	
101	100 mm gate valve	No	11823.08	
102	15 mm G M check valve	No	19364.90	
103	20 mm G M check valve	No	743.85	
104	25 mm G M check valve	No	1000.07	
105	32 mm G M check valve	No	1479.44	
106	50 mm G M check valve	No	2186.09	
107	65 mm G M check valve	No	4194.49	
108	80 mm G M check valve	No	8521.22	
109	100mm GM CHECK VALVE with flange	No	11380.91	
		No	16083.69	
110	Floor Trap 11x7.5cm (4" X 2½")			
111	C P GRATTING 100 mm DIA SIZE STEEL DOME	No	280.00	
112	C P GRATTING 12.5cm (5") DIA SIZE	No	46.00	
113	Aluminium Grating 100 mm	No	58.00	
114	160 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	No	40.00	
115	110 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	1350.00	
116	75 mm dia DWV Upvc pipe with foamcore Double sockets SN-4 Grey color, Astral or eqv	Rm	473.00	
117	Stainless steel wall mixture complete set.	Rm	262.00	
118	15 mm G. I. Pipe 'B' class	set	4104.00	
119	20 mm G. I. Pipe 'B' class	Rm	101.67	
120	25 mm G. I. Pipe 'B' class	Rm	138.33	
121	32 mm G. I. Pipe 'B' class	Rm	195.00	
122	40 mm G. I. Pipe 'B' class	Rm	250.00	



076-77 Local Rate fikkal (1)

Material Rate of Sanitary Works in Pikkal Rural Municipality

S.N	Description of Material	Per Unit	076/77	
124	80 mm G. I. Pipe 'B' class	Rm	635.00	
125	Stainless steel Basin mixture complete set.	set	6813.00	
126	9 cm Concealed flushing cistern complete accessories (Geberit or eqv.)	set	7431	
127	Dual flush Actuator plate	set	3646.00	
128	Inspection Chamber body 45x45cm	nos	3000.00	
129	Inspection Chamber Riser	nos	1490.00	
130	Inspection Chamber Lid with cover	nos	2829.00	
131	Inspection Chamber body 60x60cm	nos	8284.00	
132	Inspection Chamber Riser	nos	2634.00	
133	Inspection Chamber Lid with cover	nos	4395.00	
134	50 mm dia. Pvc pipe 6 Kg/cm ²	Rm	99.12	
135	75 mm dia. Pvc pipe 6 Kg/cm ²	Rm	221.77	
136	110 mm dia. Pvc pipe 6 Kg/cm ²	Rm	462.12	
137	15.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete American.	Set	11550.00	
138	25.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete.	Set	16511.00	
139	35.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete.	Set	20528.00	
140	50.0 Ltr water heater including copper pipe connector with coupling and other necessary fittings complete.	Set	24544.00	
141	Bath tub 5'-6"x2'-6" with complete fittings.	No	9100.00	
142	Bath tub spout(Hot and cold) with Telephonic shower.	No	4605.00	
143	Acrylic Type shower tray70x70cm (29"x29") with complete fittings.	No		
144	15 mm cp bath spout	No	1873.00	
145	Sensor mixer for basin (Battery operating)	No	19513.00	
146	Sink mixture complete set.	No	4144.00	
147	CI Cover 45x45cm (18" X 18") 14 kg	No	2391.00	
148	CI Cover 22" X 22" (20 kg)	No	3188.00	
149	Fire Post complete set	Set	27214.00	
150	Fire pump 20 HP two pump set with panel board and accessories pedrollo, Italian,	Set	550000.00	
151	Swinging hose reel with 20 mm hydraulic rubber braided hose 30 mt. Long, swinging up to 170° nozzle	Set	19700.00	
152	Euro Guard Water purification set (one litre per minute)	Set	16263.00	
153	Stainless steel, 90x45 size Bowl with drain board. Ordinary type	Set	2205.00	
154	Stainless steel, 62" x 20" size Bowl with drain board.Ordinary type	Set	5513.00	
155	High density poethylene pipe 50mm.	Rm	94.50	
156	High density poethylene pipe 110mm.	Rm	425.75	
157	High density poethylene pipe 125 mm.	Rm	572.25	
158	High density poethylene pipe 140mm.dia.	Rm	725.25	
159	High density poethylene pipe 160mm. Dia	Rm	943.25	
160	High density poethylene pipe 180mm.	Rm	1190.50	
161	High density poethylene pipe 200mm.	Rm	1472.50	
162	G.M. 25mm float valve	No	1297.00	
163	Grab bar American standard	set	4560.00	
164	Hand drayer germany with complete accessories	Rm	18480.00	



076-77 Local Rate fikkal (1)

Material Rate of Sanitary Works in Pikkal Rural Municipality

S.N	Description of Material	Per Unit	076/77
167	32 mm Insulation for hot water pipe 'Aeroflex' of 6 mm wall thickness	Rm	158.00
168	15 mm (1/2") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	114.94
169	20 mm (3/4") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	160.15
170	25 mm (1") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	209.96
171	32 mm (1 1/4") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	261.29
172	40 mm (1 1/2") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	365.51
173	50 mm (2") CPVC Pipe SDR 13.5 (3mtrs) CTS	Rm	558.60
174	5 kg Fire extinguisher ABC type minimax	No	7130.00
175	116 kg CI heavy Manhole cover.	Set	14437.50
176	15 mm CPVC ball valve, CTS sockets,	No	365.42
177	20 mm CPVC ball valve, CTS sockets,	No	485.98
178	25 mm CPVC ball valve, CTS sockets,	No	587.69
179	32 mm CPVC ball valve, CTS sockets,	No	1371.28
180	40 mm CPVC ball valve, CTS sockets,	No	1642.52
181	50 mm CPVC ball valve, CTS sockets,	No	2117.20
182	16 mm multi-layer composite pap pipe,	rm	100.98
183	20 mm multi-layer composite pap pipe,	rm	110.88
184	25 mm multi-layer composite pap pipe,	rm	118.80
185	32 mm multi-layer composite pap pipe,	rm	180.18
186	40 mm multi-layer composite pap pipe,	rm	281.16
187	50 mm multi-layer composite pap pipe,	rm	445.50
188	20 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	61.79
189	25mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	94.26
190	32 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	150.82
191	40 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	237.74
192	50 mm PPR pipe, PN-10 \SDR 11, Pachanya or eqv,	rm	368.66
193	150 mm NP-2 RCC hump pipe	rm	480.00
194	200 mm NP-2 RCC hump pipe	rm	624.00
195	300 mm NP-2 RCC hump pipe	rm	1059.00
196	400 mm NP-2 RCC hump pipe	rm	1472.00
197	600 mm NP-2 RCC hump pipe	rm	2308.00
198	150 mm NP-3 RCC hump pipe	rm	1071.00
199	200 mm NP-3 RCC hump pipe	rm	1427.00
200	300 mm NP-3 RCC hump pipe	rm	2767.00
201	400 mm NP-3 RCC hump pipe	rm	3536.00
202	600 mm NP-3 RCC hump pipe	rm	5468.00
203	150 mm NP-2 RCC hump pipe collar	No	129.00
204	200 mm NP-2 RCC hump pipe collar	No	170.00
205	300 mm NP-2 RCC hump pipe collar	No	286.00
206	400 mm NP-2 RCC hump pipe collar	No	398.00
207	600 mm NP-2 RCC hump pipe collar	No	623.00
208	150 mm NP-3 RCC hump pipe collar	No	280.00

Material Rate of Sanitary Works in Pikkal Rural Municipality

076-77 Local Rate fikkal (1)

S.N	Description of Material	Per Unit	076/77	
210	300 mm NP-3 RCC hump pipe collar	No	691.00	
211	400 mm NP-3 RCC hump pipe collar	No	883.00	
212	50 mm Plain Tee	No	68.00	
213	50 mm Bend 90 degree	No	46.00	
214	50 mm Bend 45 degree	No	45.00	
215	75 mm Vent cowl	No	53.00	
216	75 mm Plain tee	No	147.00	
217	75 mm Plain door tee	No	198.00	
218	75 mm Bend 90 degree	No	108.00	
219	75 mm Door bend	No	139.00	
220	75 mm Bend 45 degree	No	88.00	
221	75 mm Y- Branch	No	168.00	
222	75 mm Cross tee	No	322.00	
223	75 mm Pipe clip	No	28.00	
224	110 mm Vent cowl	No	87.00	
225	110 mm Plain tee	No	279.00	
226	110 mm Door tee	No	364.00	
227	110 mm Bend 90 degree	No	200.00	
228	110 mm Door bend	No	242.00	
229	110 mm Bend 45 degree	No	158.00	
230	110 mm Y- Branch	No	363.00	
231	110 mm Cross tee	No	510.00	
232	110 mm Pipe clip	No	37.00	
233	110 mm Gully trap	No	255.00	
DWV fittings Leakproof, Moulded Specials				
234	160 mm Bend 90 degree	No	988.00	
235	160 mm x110 Reducer	No	449.00	
236	160 mm Door tee	No	2016.00	
237	160 mm 45 degree Bends	No	864.00	
238	160 mm Plain tee	No	1157.00	
239	160 mm Y- Branch	No	2118.00	
240	160 mm Door bend	No	864.00	
241	75 mm Bend 90 degree	No	177.00	
242	75 mm Vent cowl	No	230.00	
243	75 mm Door tee	No	349.00	
244	75 mm 45 degree Bends	No	140.00	
245	75 mm Plain tee	No	22.00	
246	75 mm T- Branch	No	288.00	
247	75 mm Door bend	No	81.00	
248	110 mm Bend 90 degree	No	323.00	
249	110 mm Vent cowl	No	161.00	
250	110 mm Door tee	No	453.00	
251	110 mm 45 degree Bends	No	282.00	
252	110 mm Plain tee	No		



076-77 Local Rate fikkal (1)

Material Rate of Sanitary Works in Pikkal Rural Municipality

S.N	Description of Material	Per Unit	076/77	
255	4' Ø R.C.C. Ring	Rm	7109.00	
256	3' 6" Ø R.C.C. Ring	Rm	5763.00	
257	3' Ø R.C.C. Ring	Rm	4951.00	
258	2' 6" Ø R.C.C. Ring	Rm	3901.00	
259	Seat Cover	No	263.00	
Special Sanitary Fittings				
1	IPWC Comode with low level cistern set (Constellation type)	Set	2000.00	
2	Wash Basin Pedastal White Glazed	No	900.00	
3	Wash Basin Pedastal White Glazed Color	No	1000.00	

पुनश्च :

- माथि उल्लेखित दररेटहरुमा भ्याट (मू.अ.क.) समावेश गरिएको छैन ।
- यसमा उल्लेख नभएका निर्माण सामग्रीहरुको दररेटको हकमा जिल्ला दररेट वा नियमानुसार प्रचलित बजार भाउलाई वा फेक्ट्री रेटलाई आधार मानी कम्तीमा तीन वटा दरभाउ लिइ सबैभन्दा कम लाई कायम गर्न सकिनेछ ।
- उपरोक्त निर्माण सामग्रीको दररेट सदरमुकाम फिक्कललाई आधार मानी तय गरिएको छ । साथै फिक्कल सदरमुकाम खाडसाड भन्दा ५ कि.मि. भन्दा टाढा पर्ने योजना स्थल सम्म सामग्री ढुवानी गर्दा सदरमुकामबाट ढुवानी देखाई दर विश्लेषण गर्नु पर्नेछ ।